

Ver. 21/01

DISTRIBUTOR PRICE LIST INTERNATIONAL 2021

Valid from July 1st 2020

Prices are in Euro, exclusive VAT, per unit, packed, ex works and not insured

Prices and products are subject to changes

Changes to the last Price list

New holster for STEYR PISTOL A2 MF series

New material numbers for the STEYR PISTOL A2 MF series

NEW Pricing

NEW PRODUCT: STEYR THB and STEYR PRO VARMINT with new stock design

STEYR SSG M1: M-LOK only; new colours available

STEYR PISTOL A1 discontinued

MANNLICHER DUETT discontinued

MANNLICHER LUXUS discontinued

STEYR Breezer OSD for .375 calibers (M18x1)

Preview STEYR MONOBLOC

Left Hand SM12 and CL II versions

STEYR PISTOL A2 MF series

STEYR Swing mount GEN II

STEYR Breezer OSD for 5.56 caliber

STEYR SSG M1 with M-LOK Forend

STEYR Breezer Silencers

STEYR BREEZE Silcenced rifle

HC-Magazines for SM12 and CLII

Kalix CR1 adjustable Cheekpiece for SX-stocks

PREVIEW: STEYR MONOBLOC

All SM12 and CL II veriants without open sights are now factory threaded (M15x1, Semi Weight

M18x1) STEYR ARMS GmbH Ramingtal 46 4442 Kleinraming Austria

office@steyr-arms.com www.stevr-arms.com P +43 (0) 7252 896 0 F +43 (0) 7252 896 53

ARA-Lizenz-Nr. 8602 UID: ATU44354408 LG Steyr FN 167804x

Raiffeisen Landesbank Oberösterreich 4021 Linz | Bank Code/BLZ: 34 000 Kto. Nr. EUR: 2.619.286 | Kto. Nr. USD: 101 02 619 286 SWIFT: RZ00AT2L | IBAN: AT96 3400 0000 0261 9286



Content

STEYR MONOBLOC	6
MANNOX® SURFACE	7
THE 2+1 SAFETY SYSTEM	8
H.C.S.™ THE HAND COCKING SYSTEM OF THE STEYR MANNLICHER SM 12®	8
STEYR SAFE BOLT SYSTEM (SBS)	9
AN OVERVIEW OF ALL THE ADVANTAGES	10
STEYR MANNLICHER SM12® 150 YEARS STEYR MANNLICHER – THE LIMI	
EDITION	11
CTEVE MANUALICHED CM12@ 150 VEARS CTEVE ADMC	1.1
STEYR MANNLICHER SM12® 150 YEARS STEYR ARMS	11
STEYR ARMS LEAD FREE EDITION	12
SILIR ARMS LEAD I REE EDITION	12
STEYR MANNLICHER RESET ACTION FOR SM12®	13
NEW! STEYR BREEZER	14
TECHNICAL DATA STEYR BREEZER	15
STEYR MANNLICHER SM12®	16
SILIR MANNEICHER SM12®	10
STEYR MANNLICHER SM12® HALFSTOCK	17
STEYR MANNLICHER SM12® HALFSTOCK STAINLESS	18
STEYR MANNLICHER SM12® MOUNTAIN	19
STEYR MANNLICHER SM12® SEMI WEIGHT	20
STEYR MANNLICHER SM12® FULLSTOCK	21
STEYR MANNLICHER SM12® SX	22
STEYR MANNLICHER SM12® SX HALFSTOCK	23
STEYR MANNLICHER SM12® SX HALFSTOCK STAINLESS	24
STEYR MANNLICHER SM12® SX MOUNTAIN	25
STEYR MANNLICHER SM12® SX MOUNTAIN STEYR MANNLICHER SM12® SX SEMI WEIGHT	26
STETR MANNELCHER SM12® SA SEMI WEIGHT	20
STEYR MANNLICHER SM12 LEFT HAND VERSIONS	27
STEYR MANNLICHER CL II	31
STEYR MANNLICHER CL II HALFSTOCK	32
STEYR MANNLICHER CL II HALFSTOCK STAINLESS	33
STEYR MANNLICHER CL II MOUNTAIN	34
STEYR MANNLICHER CL II SEMI WEIGHT	35
STEYR MANNLICHER CL II FULLSTOCK	36
MANNLICHER CLASSIC JAGDMATCH	36
STEYR MANNLICHER CL II SX	37

STEYR ARMS PRICE LIST 2021	
STEYR MANNLICHER CL II SX HALFSTOCK	38
STEYR MANNLICHER CL II SX STAINLESS	39
STEYR MANNLICHER CL II SX MOUNTAIN	40
STEYR MANNLICHER CL II SX SEMI WEIGHT	41
STEYR MANNLICHER CL II LEFT HAND VERSIONS	42
STEYR CARBON FOR SM12 AND CL II MODELS	47
NEW! STEYR BREEZE	50
MAGAZINES FOR SM 12® AND CL II	54
MAGAZINES WITH STEEL BOTTOM (MANNOX®) MAGAZINES WITH SYNTHETIC BOTTOM (STANDARD)	54 54
HC-MAGAZINES FOR MANNLICHER SM 12® AND CL II	55
SCOPE MOUNTS FOR SM12® AND CL II	56
CUSTOM SHOP FOR STEYR MANNLICHER SM 12® AND CL II	57
Engravings	58
CUSTOM SHOP STEYR MANNLICHER SM 12® AND CL II	59
NEW! STEYR PRO VARMINT	60
STEYR ARMS PRO VARMINT PRICES	60
NEW! STEYR THB 6,5 CREEDMOOR	61
STEYR SCOUT	62
STEYR SCOUT	63
STEYR SCOUT SCOPE MOUNTS	64
STEYR SCOUT Accessories	64
NEW! STEYR SSG M1	<u>65</u>
STEYR SSG M1	66
Accessoires	66
EXCHANGEABLE BARRELS, MAGAZINES AND CONVERSION KITS	67
STEYR SSG 08	69
STEYR SSG 08 PRICE	70
STEYR SSG 08 CAMOUFLAGE	71
STEYR SSG 08 CAMOUFLAGE PRICE	71
STEYR SSG 08 STAINLESS	71
STEYR SSG 08 A1	72
STEYR SSG 08 A1	72
STEYR SSG 04 AND STEYR SSG 04 A1 - REINTRODUCED	73

STEYR ARMS PRIC	CE LIST 2021
STEYR SSG 04 AND SSG 04 A1	74
ACCESSOIRES FOR STEYR SSG SERIES	75
ACCESS ONES FOR STEFF OS SERIES	73
CTEVD ELITE	7.
STEYR ELITE	76
CTEVE FLITE A consequent	- 0
STEYR ELITE ACCESSORIES	78
STEYR ELITE ACCESSORIES	78
STEYR HS .50 AND STEYR HS .460	79
STEYR HS .50 & HS .460	79
STEYR HS .50 M1	80
SCOPE MOUNTS FOR ALL RIFLES WITH F	PICATINNY RAILS 82
STEYR AUG Z	83
STEYR AUG Z	83
51211(7,002	03
STEYR AUG Z A3 VERSIONS	9.4
STETR AUG Z AS VERSIONS	84
CTEVP ALIC 7 A2	
STEYR AUG Z A3	84
STEYR AUG Z A3 SE	85
STEYR AUG Z A3 SE	85
STEYR AUG Z ACCESSORIES	87
STEYR PISTOLS	88
STEYR PISTOLS SAFETY	89
NEW! STEYR PISTOL A2 MF SERIES	90
STEYR PISTOL L-A2 MF	91
STEYR PISTOL M-A2 MF	92
STEYR PISTOL C-A2 MF	93
STEYR PISTOL ACCESSOIRES	94
MAGAZINES	94
CONVERSION KITS A1 SERIES	94
ACCESSORIES FOR STEYR PISTOLS	95
HOLSTER	FEHLER! TEXTMARKE NICHT DEFINIERT.
HOLSTERS	96
TIOLOTERO	90
CTEVD 7EDUVD II	00
STEYR ZEPHYR II	98

STEYR ARMS PRICE LIST 2021 SLINGS FOR STEYR RIFLES	99
STEYR KNIVES	101
GENERAL TERMS OF DELIVERY AND PAYMENT	102



STEYR MONOBLOC

The new STEYR MONOBLOC sets new standards for innovative hunting rifles – you can find all details about the STEYR MONOBLOC in a separate price list.

RELIABILITY

An all-metal weapon for absolute robustness made accordingly to military standards

PRECISION

New "monobloc" construction, in which barrel and housing are hammer forged out of one piece of steel

ERGONOMICS

Top ergonomic stock with numerous, innovative options to adapt

SAFFTY

State of the art safety features such as hand cocking system, bolt lock and removable trigger unit





MANNOX® surface

MANNOX® - the new innovative surface of STEYR MANNLICHER

In the course of permanent product improvement, STEYR ARMS has established a new innovative surface for all products during 2006. The new MANNOX surface combines a matt deluxe, black optic with outstanding functional preferences:

- 100% corrosion resistance!
 The new surface is absolutely non-sensitive against rain, humidity, sweat and game blood.
- Highest resistance against rubbing! The new surface avoids from abrasion or damaging of the outer metallparts in the daily use through f.e. clothes, backpack slings, etc.
- Minimum reflection!
 The matt deluxe, black surface avoids reflections of sun and moon rays. Thanks to that the rifle is not noticeable for the game.





The 2+1 Safety System



Safe Position

In this position the weapon can be loaded and unloaded. The trigger is locked, which prevents unintentionally firing.



Fire Position

Just before you intend to shoot, you roll the safety wheel noiseless forward the Fire Position.



Optional: Locking Position

A button on the safety wheel prevents the unwanted rolling of the safety wheel from the Locking from the Safe Position into Position into another position. Trigger and bolt are locked. Depressing the bolt into its lowest position additionally locks the fire pin, too. "Set Triggers" are automatically unlocked in this position.

All safety positions can be easily operated, ambidextrous, function noiseless, and are ergonomically positioned on top of the rifle's pistol grip.

H.C.S.™ the hand cocking system of the STEYR MANNLICHER **SM 12**®

The ergonomic and easy to operate hand cocking system (H.C.S.™) sets new standards for all hunting situations.



The weapon is in safe posistion. A set trigger is automatically unlocked



The weapon is ready to fire, the firing pin is cocked.



STEYR Safe Bolt System (SBS)

The SBS (Safe Bolt System) from STEYR ARMS.

The STEYR ARMS invention and patented SBS (Safe Bolt System) is said to be the safest rifle concept worldwide. The Shooter is always protected against outgoing gas and weapon blasts even in case of unexpected overpressure. This maximum of safety is based on the following:

Ice and residue grooves

Special grooves machined into the bolt guarantees the reliable operation of the rifle, even under extreme environmental conditions, such as mud or ice.

Firing pin

At the rear of the Bolt the firing pin indicates the cocked position – touchable and visible.

Bolt head

The front locking lugs of the SBS are extremely massive by design, which lock directly behind the cartridge caser into the receiver

Bolt Handle

The Bolt handle also locks into the receiver.



Safety Bushing

Only the patented SBS uses an additional safety bushing, which fully encases the lugs and extractor.

In essence, the shooter is fully protected against escaping, high pressure gases, in case an over pressure round is unintentionally fired. Therefor, the SBS effectively prevents the rupturing of the rifle's receiver

Left: Lock bushing without safety bushing Right: Lock bushing with safety bushing



An overview of all the advantages Enhanced Safety

- The magazine can be set to an additional lower position to assure that no round is fed when cycling the bolt.
- In locking position the set trigger is automatically decocked and cannot be reactivated until the safety is taken off again. The same happens wghen decocking the H.C.S.™
- In the locking position the firing pin can be blocked completely by depressing the bolt in the lowest position (only models with 2+1 stage safety)
- User friendly 2+1 safety. The bolt can only be removed and reinstalled when the safety is on.

Enhanced Reliability

- All safety related components of the lock bolt are arranged inside and protected against dirt and dust.
- Absolute reliability at temperatures ranging from +70°C to -40°C.
- The ice and residue groove on the bolt body also adds to its top functionality even under the most adverse conditions.
- The SBS front locking system enhances the reliability at high chamber pressures.
- The four point magazine catch design ensures perfect feeding at all times.

Enhanced Comfort

- The double-column magazine is easy to load.
- 70° locking angle only due to the dual lug twin row lockbolt design
- When the firing pin is secured the bolt handle rests closely at the stock and automatically flips back in position when safety is deactivated.
- The firing position allows rapid reloading to facilitate a fast follow-up shot if needed.



STEYR MANNLICHER SM12® 150 YEARS STEYR MANNLICHER - THE LIMITED EDITION

The STEYR MANNLICHER SM12® 150 years is an elegant piece of art, limited **to 150 pcs.** world wide. With our historical logos, the model name on the receiver and the serial number which is the same as the number of the rifle (1/150, 2/150,...) encompassed with real gold inlays and a cold hammer forged double octagon barrel we create a piece of art for 150 STEYR ARMS enthusiats.

The rifle is delivered in an elegant leather case, with a STEYR ARMS sling and a certificate and is available in .30-06 Spr. and .300 Win. Mag.



STEYR MANNLICHER SM12® 150 YEARS STEYR ARMS





Caliber	Material Number	Suggested Retail Price in €
.30-06 Spr.	66.03500.000000J	7.332,
.300 Win. Mag.	66.04830.000000	7.332,



STEYR ARMS LEAD FREE EDITION



Following our tradition to innovate, STEYR ARMS takes the challenges of the future and presents with its lead free editions, the first rifles especially designed for today's standard lead free ammunition.

The new barrel profile with six lands and grooves is optimized for solids. The less flexible solids proceed much more evenely into the barrel due to the smaller diameter of the fields.

Lead free editions are available for the STEYR MANNLICHER SM12® and STEYR MANNLICHER CL II models, in .30-06 Spr. More calibers to come!

For faster recognition, the Laser engraving on the Receiver is green coloured and the serialnumbers start with LF.



Surcharge for the Lead Free Edition is EUR 175,- (Suggested Retail Price)



STEYR MANNLICHER RESET ACTION FOR SM12®



With its brand new Reset Action STEYR ARMS sets benchmarks for the safety of modern rifles.

An integrated inclination sensor knows when the rifle is moved out of a shooting position and is still cocked. In case the shooter forgets to decock an LED signal drawns the shooters attention to the fact that the rifle is still cocked and unsafe.

If the shooter does not un-cock the rifle manually, the RESET ACTION system does that automatically and prevents serious accidents which could occur with a cocked rifle.

STEYR ARMS makes a contribution to safety of modern rifles with its RESET ACTION system.

An electronic sensor reacts if the rifle is lifted up over an angle of more than 100° or is tilted sideways under 55°.

In case of a total flip over where the weapon gets upside down the system decocks immediatly.

The power of the RESET ACTION lasts up to 5 years – after that batteries have to be changed. When the batteries are empty the rilfe can be used like every other STEYR MANNLICHER SM12®

Reset Action is available for all STEYR MANNLICHER SM12® models. (except SX-models)

Surcharge for the Reset Action System is EUR 600,- (Suggested retail price)



NEW! STEYR BREEZER

Steyr Arms introduces a new generation of silencers – the STEYR BREEZER.

The STEYR BREEZER is available in 2 different versions as a thread on silencer (STEYR BREEZER MSD) and as an overbarrel silencer (STEYR BREEZER OSD).





For the STEYR AUG we are happy to offer the STEYR UMS (Universial Military Suppressor) with a QD-mount for the STEYR AUG muzzle device.



STEYR UMS



TECHNICAL DATA STEYR BREEZER

STEYR BREEZER MSD:

Length: 207mm – added length to the weapon: 192mm

Width: 45mm Weight: 420g

Approx. sound suppression: 33 db (A)

STEYR BREEZER OSD:

Length: 228mm - added length to the weapon: 146mm

Width: 45mm Weight: 425g

Approx. sound suppression: 33 db (A)

Thread adapters are now available for gunsmiths. The thread adapter hast to be screwed in tight and fixed with Loctite 648 (or a similar heat resistant glue).

The Adapters are available from M18x1 to M14x1, M15x1 or ½-20 UNF.

Suppressor / Thread	Material Number	Suggested Retail Price in €
STEYR BREEZER MSD 30 M14X1	SD-988500	343,
STEYR BREEZER MSD 30 M15X1	SD-988501	343,
STEYR BREEZER MSD 30 M18X1	SD-988502	343,
STEYR BREEZER MSD 30 1/2-20 UNF	SD-988503	343,
STEYR BREEZER MSD 30 HB 5/8-24 UNEF	SD-988504	343,
STEYR BREEZER OSD 30 M14X1	SD-988510	385,
STEYR BREEZER OSD HB M14X1	SD-988511	385,
STEYR BREEZER OSD 30 M15X1	SD-988512	385,
STEYR BREEZER OSD HB M15X1	SD-988513	385,
STEYR BREEZER OSD 30 M18X1	SD-988514	385,
STEYR BREEZER OSD 30 1/2-20 UNF	SD-988515	385,
STEYR BREEZER OSD 30 HB 5/8-24 UNEF	SD-988516	385,
STEYR BREEZER OSD 5.56 M14X1	SD-988518	385,
STEYR BREEZER OSD 5.56 M15x1	SD-988519	385,
STEYR BREEZER OSD 5.56 1/2-20 UNF	SD-988517	385,
STEYR BREEZER OSD 8mm-9,5mm M18X1	SD-988522	385,
STEYR UMS 5.56	SD-988520	595,
STEYR UMS 7.62	SD-988521	595,
Adapter M18x1 to M14x1 for OSD and MSD	1-HW-988523	20,
Adapter M18x1 to M15x1 for OSD and MSD	1-HW-988524	20,



STEYR MANNLICHER SM12®

The new STEYR MANNLICHER SM12® with it's ergonomic and easy to operate hand cocking system (H.C.S. $^{\text{TM}}$) sets new standards for all hunting situations. The new designed stock with Bavarian cheek-piece and elegant checkering gives this rifle a timless elegant look. Our O.B.P. $^{\text{TM}}$ (optimized barrel profile) with new barrel lengths and optimized barrel contour features accuracy and fits perfect in the stock and system.

All rifles without open sights are now factory threaded (M15x1, Semi Weight M18x1) as a standard and delivered with a Muzzle protection cap.

Technical Data	Halfstock	Mountain / Semi Weight / Fullstock
System	- MA	NNOX® -
Trigger	combi trigger	(single set trigger)
Stock	European walnut with Bavarian cheekpiece and double flames and fish scale pattern	
Magazine	box magazine	
Magazine Capacity	4 rounds (standard caliber) resp. 3 rounds (magnum caliber)	4 rounds
Barrel Length	558 mm (standard caliber) 635 mm (magnum caliber)	508mm
Overall Length	1115 mm (standard cal.) 1175 mm (magnum cal.)	1063mm
Weight	3300 g (standard cal.) 3600 g (magnum cal.)	Approx 3,2kg resp. 3,3kg (Fullstock) 3,5kg (Semi Weight)





STEYR MANNLICHER SM12® HALFSTOCK



STEYR MANNLICHER SM12® WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.26280.100002A	2.672,
.308 Win.	66.26340.100002A	2.672,
.7mm-08 Rem.	66.26360.100002A	2.672,
7x64	66.26440.100002A	2.672,
.270 Win.	66.26460.100002A	2.672,
6,5x55SE	66.26480.100002A	2.672,
.30-06 Spr.	66.26500.100002A	2.672,
8x57JS	66.26540.100002A	2.672,
9,3x62	66.26600.100002A	2.672,
7mm Rem. Mag.	66.26750.100002A	2.932,
8x68S	66.26780.100002A	2.932,
.300 Win. Mag.	66.26830.100002A	2.932,
.300 WBY	66.26840.100002A	2.932,
.270 WSM	66.26900.100002A	2.932,
.300 WSM	66.26870.100002A	2.932,

STEYR MANNLICHER SM12® NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.26286.000002A	2.577,
.308 Win.	66.26346.000002A	2.577,
.7mm-08 Rem.	66.26366.000002A	2.577,
7x64	66.26446.000002A	2.577,
.270 Win.	66.26466.000002A	2.577,
6,5x55SE	66.26486.000002A	2.577,
.30-06 Spr.	66.26506.000002A	2.577,
8x57JS	66.26546.000002A	2.577,
9,3x62	66.26606.000002A	2.577,
7mm Rem. Mag.	66.26756.000002A	2.837,
8x68S	66.26786.000002A	2.837,
.300 Win. Mag.	66.26836.000002A	2.837,
.300 WBY	66.26846.000002A	2.837,
.270 WSM	66.26906.000002A	2.837,
.300 WSM	66.26876.000002A	2.837,



STEYR MANNLICHER SM12® HALFSTOCK STAINLESS



STEYR MANNLICHER SM12® Stainless WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.28280.100002A	2.917,
.308 Win.	66.28340.100002A	2.917,
.7mm-08 Rem.	66.28360.100002A	2.917,
.270 Win.	66.28460.100002A	2.917,
6,5x55SE	66.28480.100002A	2.917,
.30-06 Spr.	66.28500.100002A	2.917,
7mm Rem. Mag.	66.28750.100002A	3.177,
.300 Win. Mag.	66.28830.100002A	3.177,
.270 WSM	66.28900.100002A	3.177,
.300 WSM	66.28870.100002A	3.177,

STEYR MANNLICHER SM12® Stainless NO open sights (Threaded M15x1)

Caliber	Material Number without sights/M15x1	Suggested Retail Price in €
.243 Win.	66.28286.000002A	2.872,
.308 Win.	66.28346.000002A	2.822,
.7mm-08 Rem.	66.28366.000002A	2.822,
.270 Win.	66.28466.000002A	2.822,
6,5x55SE	66.28486.000002A	2.822,
.30-06 Spr.	66.28506.000002A	2.822,
7mm Rem. Mag.	66.28756.000002A	3.082,
.300 Win. Mag.	66.28836.000002A	3.082,
.270 WSM	66.28906.000002A	3.082,
.300 WSM	66.28876.000002A	3.082,



STEYR MANNLICHER SM12® MOUNTAIN



STEYR MANNLICHER SM12® Mountain WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in € incl. VAT
.222 Rem	66.26120.100002A	2.727,
.223 Rem	66.26170.100002A	2.727,
.243 Win.	66.26290.100002A	2.727,
.308 Win.	66.26350.100002A	2.727,
.7mm-08 Rem.	66.26370.100002A	2.727,
7x64	66.26450.100002A	2.727,
.270 Win.	66.26470.100002A	2.727,
6,5x55SE	66.26490.100002A	2.727,
.30-06 Spr.	66.26510.100002A	2.727,
8x57JS	66.26550.100002A	2.727,
9,3x62	66.26610.100002A	2.727,

STEYR MANNLICHER SM12® Mountain NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.222 Rem	66.26126.000002A	2.632,
.223 Rem	66.26176.000002A	2.632,
.243 Win.	66.26296.000002A	2.632,
.308 Win.	66.26356.000002A	2.632,
.7mm-08 Rem.	66.26376.000002A	2.632,
7x64	66.26456.000002A	2.632,
.270 Win.	66.26476.000002A	2.632,
6,5x55SE	66.26496.000002A	2.632,
.30-06 Spr.	66.26516.000002A	2.632,
8x57JS	66.26556.000002A	2.632,
9,3x62	66.26616.000002A	2.632,



STEYR MANNLICHER SM12® SEMI WEIGHT

Fitted with a heavy, but short barrel and round bolt handle, the STEYR MANNLICHER SM 12® Semi Weight is the right choice for driven hunts and to impress at the shooting range.



STEYR MANNLICHER SM12® Semi Weight WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.308 Win.	66.36350.100102A	2.727,
.30-06 Spring.	66.36510.100102A	2.727,
8x57 JS	66.36550.100102A	2.727,
9,3x62	66.36610.100102A	2.727,

STEYR MANNLICHER SM12® Semi Weight NO open sights (Threaded M18x1)

Caliber	Material Number no sights/M18x1	Suggested Retail Price in € incl. VAT
.308 Win.	66.36353.000102A	2.632,
.30-06 Spring.	66.36513.000102A	2.632,
8x57 JS	66.36553.000102A	2.632,
9,3x62	66.36613.000102A	2.632,





STEYR MANNLICHER SM12® FULLSTOCK

The SM 12® is now also available in an elegant Fullstock version with 508mm barrel.



STEYR MANNLICHER SM12® Fullstock

Caliber	Material Number	Suggested Retail Price in €
.222 Rem	66.26120.100005A	2.917,
.223 Rem	66.26170.100005A	2.917,
.243 Win.	66.26290.100005A	2.917,
.308 Win.	66.26350.100005A	2.917,
.7mm-08 Rem.	66.26370.100005A	2.917,
7x64	66.26450.100005A	2.917,
.270 Win.	66.26470.100005A	2.917,
6,5x55SE	66.26490.100005A	2.917,
.30-06 Spr.	66.26510.100005A	2.917,
8x57JS	66.26550.100005A	2.917,
9,3x62	66.26610.100005A	2.917,





STEYR MANNLICHER SM12® SX

The STEYR MANNLICHER SM 12® is now also available with an attractive synthetic stock

Where ergonomic design matches the highest durability. Polymer inlays guarantee a good grip even in bad conditions.

The aluminum bedded system, together with the latest synthetics, lead to a rifle with maximum stability. Optimized for the use with bipods.





STEYR MANNLICHER SM12® SX HALFSTOCK





STEYR MANNLICHER SM12® SX Halfstock WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.27280.100020A	2.152,
.308 Win.	66.27340.100020A	2.152,
.7mm-08 Rem.	66.27360.100020A	2.152,
7x64	66.27440.100020A	2.152,
.270 Win.	66.27460.100020A	2.152,
6,5x55SE	66.27480.100020A	2.152,
.30-06 Spr.	66.27500.100020A	2.152,
8x57JS	66.27540.100020A	2.152,
9,3x62	66.27600.100020A	2.152,
7mm Rem. Mag.	66.27750.100020A	2.412,
8x68S	66.27780.100020A	2.412,
.300 Win. Mag.	66.27830.100020A	2.412,
.300 WBY	66.27840.100020A	2.412,
.270 WSM	66.27900.100020A	2.412,
.300 WSM	66.27870.100020A	2.412,

STEYR MANNLICHER SM12® SX Halfstock NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.27286.000020A	2.057,
.308 Win.	66.27346.000020A	2.057,
.7mm-08 Rem.	66.27366.000020A	2.057,
7x64	66.27446.000020A	2.057,
.270 Win.	66.27466.000020A	2.057,
6,5x55SE	66.27486.000020A	2.057,
.30-06 Spr.	66.27506.000020A	2.057,
8x57JS	66.27546.000020A	2.057,
9,3x62	66.27606.000020A	2.057,
7mm Rem. Mag.	66.27756.000020A	2.317,
8x68S	66.27786.000020A	2.317,
.300 Win. Mag.	66.27836.000020A	2.317,
.300 WBY	66.27846.000020A	2.317,
.270 WSM	66.27906.000020A	2.317,
.300 WSM	66.27876.000020A	2.317,



STEYR MANNLICHER SM12® SX HALFSTOCK STAINLESS



STEYR MANNLICHER SM12® SX Halfstock Stainless WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.29280.100020A	2.397,
.308 Win.	66.29340.100020A	2.397,
.7mm-08 Rem.	66.29360.100020A	2.397,
.270 Win.	66.29460.100020A	2.397,
6,5x55SE	66.29480.100020A	2.397,
.30-06 Spr.	66.29500.100020A	2.397,
7mm Rem. Mag.	66.29750.100020A	2.657,
.300 Win. Mag.	66.29830.100020A	2.657,
.270 WSM	66.29900.100020A	2.657,
.300 WSM	66.29870.100020A	2.657,

STEYR MANNLICHER SM12® SX Halfstock Stainless NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.29286.000020A	2.302,
.308 Win.	66.29346.000020A	2.302,
.7mm-08 Rem.	66.29366.000020A	2.302,
.270 Win.	66.29466.000020A	2.302,
6,5x55SE	66.29486.000020A	2.302,
.30-06 Spr.	66.29506.000020A	2.302,
7mm Rem. Mag.	66.29756.000020A	2.562,
.300 Win. Mag.	66.29836.000020A	2.562,
.270 WSM	66.29906.000020A	2.562,
.300 WSM	66.29876.000020A	2.562,





STEYR MANNLICHER SM12® SX MOUNTAIN



STEYR MANNLICHER SM12® SX Mountain WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.222 Rem.	66.27120.100020A	2.207,
.223 Rem.	66.27170.100020A	2.207,
.243 Win.	66.27290.100020A	2.207,
.308 Win.	66.27350.100020A	2.207,
.7mm-08 Rem.	66.27370.100020A	2.207,
7x64	66.27450.100020A	2.207,
.270 Win.	66.27470.100020A	2.207,
6,5x55SE	66.27490.100020A	2.207,
.30-06 Spr.	66.27510.100020A	2.207,
8x57JS	66.27550.100020A	2.207,
9,3x62	66.27610.100020A	2.207,

STEYR MANNLICHER SM12® SX Mountain NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.222 Rem.	66.27126.000020A	2.112,
.223 Rem.	66.27176.000020A	2.112,
.243 Win.	66.27296.000020A	2.112,
.308 Win.	66.27356.000020A	2.112,
.7mm-08 Rem.	66.27376.000020A	2.112,
7x64	66.27456.000020A	2.112,
.270 Win.	66.27476.000020A	2.112,
6,5x55SE	66.27496.000020A	2.112,
.30-06 Spr.	66.27516.000020A	2.112,
8x57JS	66.27556.000020A	2.112,
9,3x62	66.27616.000020A	2.112,





STEYR MANNLICHER SM12® SX SEMI WEIGHT



STEYR MANNLICHER SM12® SX Semi Weight WITH open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.308 Win.	66.37350.100120A	2.207,
.30-06 Spring.	66.37510.100120A	2.207,
8x57 JS	66.37550.100120A	2.207,
9,3x62	66.37610.100120A	2.207,

STEYR MANNLICHER SM12® SX Semi Weight NO open sights (Threaded M18x1)

Caliber	Material Number no sights/M18x1	Suggested Retail Price in €
.308 Win.	66.37353.000120A	2.112,
.30-06 Spring.	66.37513.000120A	2.112,
8x57 JS	66.37553.000120A	2.112,
9,3x62	66.37613.000120A	2.112,



STEYR MANNLICHER SM12 LEFT HAND VERSIONS

The STEYR MANNLICHER SM 12 is also available in a real left hand version in many varieties and calibers.

The exceptions are:

- 1) no .222 Rem., .223 Rem., .22-250 Rem., .300 WSM, .270 WSM., .375 H&H, .458 Win.Mag., .376 STEYR
- 2) no round or tactical bolt handle
- 3) no bolt lock for SM12
- 5) no stainless rifles
- 7) no SEMI WEIGHT
- 8) no STEYR CARBON
- 9) no STEYR BREEZE
- 10) no Fullstock

STEYR MANNLICHER SM 12 Left with open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.26280.100062L	2.672,
.308 Win.	66.26340.100062L	2.672,
.7mm-08 Rem.	66.26360.100062L	2.672,
7x64	66.26440.100062L	2.672,
.270 Win.	66.26460.100062L	2.672,
6,5x55SE	66.26480.100062L	2.672,
.30-06 Spr.	66.26500.100062L	2.672,
8x57JS	66.26540.100062L	2.672,
9,3x62	66.26600.100062L	2.672,
7mm Rem. Mag.	66.26750.100062L	2.932,
8x68S	66.26780.100062L	2.932,
.300 Win. Mag.	66.26830.100062L	2.932,
.300 WBY	66.26840.100062L	2.932,

STEYR MANNLICHER SM 12 Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.26286.000062L	2.577,
.308 Win.	66.26346.000062L	2.577,
.7mm-08 Rem.	66.26366.000062L	2.577,
7x64	66.26446.000062L	2.577,
.270 Win.	66.26466.000062L	2.577,
6,5x55SE	66.26486.000062L	2.577,
.30-06 Spr.	66.26506.000062L	2.577,
8x57JS	66.26546.000062L	2.577,
9,3x62	66.26606.000062L	2.577,
7mm Rem. Mag.	66.26756.000062L	2.837,
8x68S	66.26786.000062L	2.837,
.300 Win. Mag.	66.26836.000062L	2.837,
.300 WBY	66.26846.000062L	2.837,



STEYR MANNLICHER SM 12 Mountain Left with open sights

Caliber Material Number with sights		Suggested Retail Price in € incl. VAT
.243 Win.	66.26290.100062L	2.727,
.308 Win.	66.26350.100062L	2.727,
.7mm-08 Rem.	66.26370.100062L	2.727,
7x64	66.26450.100062L	2.727,
.270 Win.	66.26470.100062L	2.727,
6,5x55SE	66.26490.100062L	2.727,
.30-06 Spr.	66.26510.100062L	2.727,
8x57JS	66.26550.100062L	2.727,
9,3x62	66.26610.100062L	2.727,

STEYR MANNLICHER SM 12 Mountain Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.26296.000062L	2.632,
.308 Win.	66.26356.000062L	2.632,
.7mm-08 Rem.	66.26376.000062L	2.632,
7x64	66.26456.000062L	2.632,
.270 Win.	66.26476.000062L	2.632,
6,5x55SE	66.26496.000062L	2.632,
.30-06 Spr.	66.26516.000062L	2.632,
8x57JS	66.26556.000062L	2.632,
9,3x62	66.26616.000062L	2.632,





STEYR MANNLICHER SM 12 SX Left with open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.27280.100030L	2.152,
.308 Win.	66.27340.100030L	2.152,
.7mm-08 Rem.	66.27360.100030L	2.152,
7x64	66.27440.100030L	2.152,
.270 Win.	66.27460.100030L	2.152,
6,5x55SE	66.27480.100030L	2.152,
.30-06 Spr.	66.27500.100030L	2.152,
8x57JS	66.27540.100030L	2.152,
9,3x62	66.27600.100030L	2.152,
7mm Rem. Mag.	66.27750.100030L	2.412,
8x68S	66.27780.100030L	2.412,
.300 Win. Mag.	66.27830.100030L	2.412,
.300 WBY	66.27840.100030L	2.412,

STEYR MANNLICHER SM 12 SX Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.27286.000030L	2.057,
.308 Win.	66.27346.000030L	2.057,
.7mm-08 Rem.	66.27366.000030L	2.057,
7x64	66.27446.000030L	2.057,
.270 Win.	66.27466.000030L	2.057,
6,5x55SE	66.27486.000030L	2.057,
.30-06 Spr.	66.27506.000030L	2.057,
8x57JS	66.27546.000030L	2.057,
9,3x62	66.27606.000030L	2.057,
7mm Rem. Mag.	66.27756.000030L	2.317,
8x68S	66.27786.000030L	2.317,
.300 Win. Mag.	66.27836.000030L	2.317,
.300 WBY	66.27846.000030L	2.317,





STEYR MANNLICHER SM 12 Mountain SX Left with open sights

Caliber	Material Number with sights	Suggested Retail Price in €
.243 Win.	66.27290.100030L	2.207,
.308 Win.	66.27350.100030L	2.207,
.7mm-08 Rem.	66.27370.100030L	2.207,
7x64	66.27450.100030L	2.207,
.270 Win.	66.27470.100030L	2.207,
6,5x55SE	66.27490.100030L	2.207,
.30-06 Spr.	66.27510.100030L	2.207,
8x57JS	66.27550.100030L	2.207,
9,3x62	66.27610.100030L	2.207,

STEYR MANNLICHER SM 12 Mountain SX Left NO open sights (Threaded M15x1)

Caliber	Material Number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.27296.000030L	2.112,
.308 Win.	66.27356.000030L	2.112,
.7mm-08 Rem.	66.27376.000030L	2.112,
7x64	66.27456.000030L	2.112,
.270 Win.	66.27476.000030L	2.112,
6,5x55SE	66.27496.000030L	2.112,
.30-06 Spr.	66.27516.000030L	2.112,
8x57JS	66.27556.000030L	2.112,
9,3x62	66.27616.000030L	2.112,



STEYR MANNLICHER CL II

The successor of the famous MANNLICHER CLASSIC: the STEYR MANNLICHER CL II.

The technical features including the patented SBS[™] (safe bolt system) coupled with the new, elegant and ergonomical optimized stock which gives it the highest comfort with a maximum on precision and reliability. This is the quality STEYR ARMS is well known for.

The stock with Bavarian cheek piece and double flame, elegant checkering is optimized for the use with scopes.

STEYR ARMS's O.B.P. $^{\text{TM}}$ (optimize barrel profile) guarantees highest precision thanks to its optimized contour and length and fits perfectly into the new designed stock.

The combination of the new barrel and slim housing design are giving the STEYR MANNLICHER CL II an elegant look.

All STEYR MANNLICHER CLII without open sights are factory threaded (M15x1, Semi Weight M18x1)

Technical Data	Halfstock	Mountain / Semi Weight / Fullstock	
System	- MA	NNOX® -	
Trigger	combi trigger	(single set trigger)	
Stock	European walnut with Bavarian cheekpiece and double flames and fish scale pattern		
Magazine	box magazine		
Magazine Capacity	4 rounds (standard caliber) resp. 3 rounds (magnum caliber)	4 rounds	
Barrel Length	558 mm (standard caliber) 635 mm (magnum caliber)	508mm	
Overall Length	1115 mm (standard cal.) 1175 mm (magnum cal.)	1063mm	
Weight	3300 g (standard cal.) 3600 g (magnum cal.)	Approx 3,2kg resp. 3,3kg (Fullstock) 3,5kg (Semi Weight)	





STEYR MANNLICHER CL II HALFSTOCK

STEYR MANNLICHER CL II WITH open sights

Caliber	Set trigger Material number with sights		Suggested Retail Price in €
NEW!! .22-250 Rem.	66.06060.121002A	66.06060.111002A	2.152,
.243 Win.	66.06280.121002A	66.06280.111002A	2.152,
.308 Win.	66.06340.121002A	66.06340.111002A	2.152,
7 mm-08 Rem.	66.06360.121002A	66.06360.111002A	2.152,
.270 Win.	66.06460.121002A	66.06460.111002A	2.152,
7x64	66.06440.121002A	66.06440.111002A	2.152,
.30-06 Spring.	66.06500.121002A	66.06500.111002A	2.152,
.25-06 Rem.	66.06560.121002A	66.06560.111002A	2.152,
6,5x55 SE	66.06480.121002A	66.06480.111002A	2.152,
8x57 JS	66.06540.121002A	66.06540.111002A	2.152,
9,3x62	66.06600.121002A	66.06600.111002A	2.152,
.300 Win. Mag.	66.06830.121002A	66.06830.111002A	2.412,
7 mm Rem. Mag.	66.06750.121002A	66.06750.111002A	2.412,
8x68 S	66.06780.121002A	66.06780.111002A	2.412,
.270 Win. Short Mag.	66.06900.121002A	66.06900.111002A	2.412,
.300 Win. Short Mag.	66.06870.121002A	66.06870.111002A	2.412,
.300 Wthby. Mag.	66.06840.121002A	66.06840.111002A	2.412,
NEW!! .338 Win.Mag.	NA	66.06940.111002A	2.412,
.375 H&H	66.70800.220102A	66.70800.210102A	2.932,
.458 Win. Mag.	66.70810.220102A	66.70810.210102A	2.932,

STEYR MANNLICHER CL II NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
NEW!! .22-250 Rem.	66.06066.021002A	66.06066.011002A	2.057,
.243 Win.	66.06286.021002A	66.06286.011002A	2.057,
.308 Win.	66.06346.021002A	66.06346.011002A	2.057,
7 mm-08 Rem.	66.06366.021002A	66.06366.011002A	2.057,
.270 Win.	66.06466.021002A	66.06466.011002A	2.057,
7x64	66.06446.021002A	66.06446.011002A	2.057,
.30-06 Spring.	66.06506.021002A	66.06506.011002A	2.057,
.25-06 Rem.	66.06566.021002A	66.06566.011002A	2.057,
6,5x55 SE	66.06486.021002A	66.06486.011002A	2.057,
8x57 JS	66.06546.021002A	66.06546.011002A	2.057,
9,3x62	66.06606.021002A	66.06606.011002A	2.057,
.300 Win. Mag.	66.06836.021002A	66.06836.011002A	2.317,
7 mm Rem. Mag.	66.06756.021002A	66.06756.011002A	2.317,
8x68 S	66.06786.021002A	66.06786.011002A	2.317,
.270 Win. Short Mag.	66.06906.021002A	66.06906.011002A	2.317,
.300 Win. Short Mag.	66.06876.021002A	66.06876.011002A	2.317,
.300 WBY	66.06846.021002A	66.06846.011002A	2.317,



STEYR MANNLICHER CL II HALFSTOCK STAINLESS



STEYR MANNLICHER CL II Stainless WITH open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.243 Win.	66.08280.121002A	66.08280.111002A	2.397,
.308 Win.	66.08340.121002A	66.08340.111002A	2.397,
7 mm-08 Rem.	66.08360.121002A	66.08360.111002A	2.397,
.270 Win.	66.08460.121002A	66.08460.111002A	2.397,
.30-06 Spring.	66.08500.121002A	66.08500.111002A	2.397,
.25-06 Rem.	66.08560.121002A	66.08560.111002A	2.397,
6,5x55 SE	66.08480.121002A	66.08480.111002A	2.397,
.300 Win. Mag.	66.08830.121002A	66.08830.111002A	2.657,
7 mm Rem. Mag.	66.08750.121002A	66.08750.111002A	2.657,
.270 Win. Short Mag.	66.08900.121002A	66.08900.111002A	2.657,
.300 Win. Short Mag.	66.08870.121002A	66.08870.111002A	2.657,

STEYR MANNLICHER CL II Stainless NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.08286.021002A	66.08286.011002A	2.302,
.308 Win.	66.08346.021002A	66.08346.011002A	2.302,
7 mm-08 Rem.	66.08366.021002A	66.08366.011002A	2.302,
.270 Win.	66.08466.021002A	66.08466.011002A	2.302,
.30-06 Spring.	66.08506.021002A	66.08506.011002A	2.302,
.25-06 Rem.	66.08566.021002A	66.08566.011002A	2.302,
6,5x55 SE	66.08486.021002A	66.08486.011002A	2.302,
.300 Win. Mag.	66.08836.021002A	66.08836.011002A	2.562,
7 mm Rem. Mag.	66.08756.021002A	66.08756.011002A	2.562,
.270 Win. Short Mag.	66.08906.021002A	66.08906.011002A	2.562,
.300 Win. Short Mag.	66.08876.021002A	66.08876.011002A	2.562,



STEYR MANNLICHER CL II MOUNTAIN



STEYR MANNLICHER CL II Mountain WITH open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.222 Rem.	66.06120.121002A	66.06120.111002A	2.207,
.223 Rem.	66.06170.121002A	66.06170.111002A	2.207,
.243 Win.	66.06290.121002A	66.06290.111002A	2.207,
.308 Win.	66.06350.121002A	66.06350.111002A	2.207,
7 mm-08 Rem.	66.06370.121002A	66.06370.111002A	2.207,
.270 Win.	66.06470.121002A	66.06470.111002A	2.207,
7x64	66.06450.121002A	66.06450.111002A	2.207,
.30-06 Spring.	66.06510.121002A	66.06510.111002A	2.207,
.25-06 Rem.	66.06570.121002A	66.06570.111002A	2.207,
6,5x55 SE	66.06490.121002A	66.06490.111002A	2.207,
8x57 JS	66.06550.121002A	66.06550.111002A	2.207,
9,3x62	66.06610.121002A	66.06610.111002A	2.207,

STEYR MANNLICHER CL II Mountain NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.222 Rem.	66.06126.021002A	66.06126.011002A	2.112,
.223 Rem.	66.06176.021002A	66.06176.011002A	2.112,
.243 Win.	66.06296.021002A	66.06296.011002A	2.112,
.308 Win.	66.06356.021002A	66.06356.011002A	2.112,
7 mm-08 Rem.	66.06376.021002A	66.06376.011002A	2.112,
.270 Win.	66.06476.021002A	66.06476.011002A	2.112,
7x64	66.06456.021002A	66.06456.011002A	2.112,
.30-06 Spring.	66.06516.021002A	66.06516.011002A	2.112,
.25-06 Rem.	66.06576.021002A	66.06576.011002A	2.112,
6,5x55 SE	66.06496.021002A	66.06496.011002A	2.112,
8x57 JS	66.06556.021002A	66.06556.011002A	2.112,
9,3x62	66.06616.021002A	66.06616.011002A	2.112,



STEYR MANNLICHER CL II SEMI WEIGHT

The new STEYR MANNLICHER Semi weight features a 508mm heavy barrel (approx. 20 mm diameter) and therefore is the ideal rifle for hunters who also like to use their rifle on the shooting range.

STEYR MANNLICHER CL II Semi Weight with optional open sights for driven hunt

STEYR MANNLICHER CL II Semi Weight WITH open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.308 Win.	66.16350.121102A	66.16350.111102A	2.207,
.30-06 Spring.	66.16510.121102A	66.16510.111102A	2.207,
8x57 JS	66.16550.121102A	66.16550.111102A	2.207,
9,3x62	66.16610.121102A	66.16610.111102A	2.207,

STEYR MANNLICHER CL II Semi Weight NO open sights (Threaded M18x1)

Caliber	Set trigger Material number no sights/M18x1	Direct trigger Material number no sights/M18x1	Suggested Retail Price in €
.308 Win.	66.16353.021102A	66.16353.011102A	2.112,
.30-06 Spring.	66.16513.021102A	66.16513.011102A	2.112,
8x57 JS	66.16553.021102A	66.16553.011102A	2.112,
9,3x62	66.16613.021102A	66.16613.011102A	2.112,





STEYR MANNLICHER CL II FULLSTOCK

The Fullstock version is now available on base of the STEYR MANNLICHER CL II.



Caliber	Set trigger Materialnumber	Direct trigger Materialnumber	Suggested Retail Price in €
222 Rem.	66.06120.121005A	66.06120.111005A	2.397,
.223 Rem.	66.06170.121005A	66.06170.111005A	2.397,
.243 Win.	66.06290.121005A	66.06290.111005A	2.397,
.308 Win.	66.06350.121005A	66.06350.111005A	2.397,
7 mm-08 Rem.	66.06370.121005A	66.06370.111005A	2.397,
.270 Win.	66.06470.121005A	66.06470.111005A	2.397,
7x64	66.06450.121005A	66.06450.111005A	2.397,
.30-06 Spring.	66.06510.121005A	66.06510.111005A	2.397,
.25-06 Rem.	66.06570.121005A	66.06570.111005A	2.397,
6,5x55 SE	66.06490.121005A	66.06490.111005A	2.397,
8x57 JS	66.06550.121005A	66.06550.111005A	2.397,
9,3x62	66.06610.121005A	66.06610.111005A	2.397,

MANNLICHER CLASSIC JAGDMATCH

The world famous MANNLICHER CLASSIC Jagdmatch with it's 600mm barrel diameter of 16,8mm is now available again!



Caliber	Set trigger Material number	Direct trigger Material number	Suggested Retail Price in €
.222 Rem.	26.012G.11	26.012G.31	2.415,



STEYR MANNLICHER CL II SX

The STEYR MANNLICHER CL II is also available in the robust SX-stock with rubber inlays and prismatic aluminium bedding.

Where ergonomic design matches the highest durability. Polymer inlays guarantee a good grip even in bad conditions.

The aluminum bedded system, together with the latest synthetics, lead to a rifle with maximum stability. Optimized for the use with bipods.







STEYR MANNLICHER CL II SX HALFSTOCK



STEYR MANNLICHER CL SX WITH open sights

STEIN PIANNELCHER CE SA WITH Open signes				
Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €	
.22-250 Rem.	66.07060.121020A	66.07060.111020A	1.632,	
.243 Win.	66.07280.121020A	66.07280.111020A	1.632,	
.308 Win.	66.07340.121020A	66.07340.111020A	1.632,	
7 mm-08 Rem.	66.07360.121020A	66.07360.111020A	1.632,	
.270 Win.	66.07460.121020A	66.07460.111020A	1.632,	
7x64	66.07440.121020A	66.07440.111020A	1.632,	
.30-06 Spring.	66.07500.121020A	66.07500.111020A	1.632,	
.25-06 Rem.	66.07560.121020A	66.07560.111020A	1.632,	
6,5x55 SE	66.07480.121020A	66.07480.111020A	1.632,	
8x57JS	66.07540.121020A	66.07540.111020A	1.632,	
9,3x62	66.07600.121020A	66.07600.111020A	1.632,	
NEW! .376 STEYR	66.07200.121020A	66.07200.111020A	1.632,	
.300 Win. Mag.	66.07830.121020A	66.07830.111020A	1.892,	
7 mm Rem. Mag.	66.07750.121020A	66.07750.111020A	1.892,	
8x68S	66.07780.121020A	66.07780.111020A	1.892,	
.270 WSM	66.07900.121020A	66.07900.111020A	1.892,	
.300 WSM	66.07870.121020A	66.07870.111020A	1.892,	
.300 WBY	66.07840.121020A	66.07840.111020A	1.892,	
.375 H&H	66.70800.220120A	66.70800.210120A	2.412,	

STEYR MANNLICHER CL SX NO open sights (Threaded M15x1)

STETR MANNLICHER CL 3X NO open sights (Threaded M13X1)			
Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.22-250 Rem.	66.07066.021020A	66.07066.011020A	1.537,
.243 Win.	66.07286.021020A	66.07286.011020A	1.537,
.308 Win.	66.07346.021020A	66.07346.011020A	1.537,
7 mm-08 Rem.	66.07366.021020A	66.07366.011020A	1.537,
.270 Win.	66.07466.021020A	66.07466.011020A	1.537,
7x64	66.07446.021020A	66.07446.011020A	1.537,
.30-06 Spring.	66.07506.021020A	66.07506.011020A	1.537,
.25-06 Rem.	66.07566.021020A	66.07566.011020A	1.537,
6,5x55 SE	66.07486.021020A	66.07486.011020A	1.537,
8x57JS	66.07546.021020A	66.07546.011020A	1.537,
9,3x62	66.07606.021020A	66.07606.011020A	1.537,
NEW! .376 STEYR	66.07206.021020A	66.07206.011020A	1.537,
.300 Win. Mag.	66.07836.021020A	66.07836.011020A	1.797,
7 mm Rem. Mag.	66.07756.021020A	66.07756.011020A	1.797,
8x68S	66.07786.021020A	66.07786.011020A	1.797,
.270 WSM	66.07906.021020A	66.07906.011020A	1.797,
.300 WSM	66.07876.021020A	66.07876.011020A	1.797,
.300 WBY	66.07846.021020A	66.07846.011020A	1.797,
NEW! .338 Win.Mag.	66.07946.011020A	NA	1.797,



STEYR MANNLICHER CL II SX STAINLESS



STEYR MANNLICHER CL SX Stainless WITH open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.243 Win.	66.09280.121020A	66.09280.111020A	1.877,
.308 Win.	66.09340.121020A	66.09340.111020A	1.877,
7 mm-08 Rem.	66.09360.121020A	66.09360.111020A	1.877,
.270 Win.	66.09460.121020A	66.09460.111020A	1.877,
.30-06 Spring.	66.09500.121020A	66.09500.111020A	1.877,
.25-06 Rem.	66.09560.121020A	66.09560.111020A	1.877,
6,5x55 SE	66.09480.121020A	66.09480.111020A	1.877,
.300 Win. Mag.	66.09830.121020A	66.09830.111020A	2.137,
7 mm Rem. Mag.	66.09750.121020A	66.09750.111020A	2.137,
.270 WSM	66.09900.121020A	66.09900.111020A	2.137,
.300 WSM	66.09870.121020A	66.09900.111020A	2.137,

STEYR MANNLICHER CL SX Stainless NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.09286.021020A	66.09286.011020A	1.782,
.308 Win.	66.09346.021020A	66.09346.011020A	1.782,
7 mm-08 Rem.	66.09366.021020A	66.09366.011020A	1.782,
.270 Win.	66.09466.021020A	66.09466.011020A	1.782,
.30-06 Spring.	66.09506.021020A	66.09506.011020A	1.782,
.25-06 Rem.	66.09566.021020A	66.09566.011020A	1.782,
6,5x55 SE	66.09486.021020A	66.09486.011020A	1.782,
.300 Win. Mag.	66.09836.021020A	66.09836.011020A	2.042,
7 mm Rem. Mag.	66.09756.021020A	66.09756.011020A	2.042,
.270 WSM	66.09906.021020A	66.09906.011020A	2.042,
.300 WSM	66.09876.021020A	66.09876.011020A	2.042,



STEYR MANNLICHER CL II SX MOUNTAIN



STEYR MANNLICHER CL SX Mountain WITH open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.222 Rem.	66.07120.121020A	66.07120.111020A	1.687,
.223 Rem.	66.07170.121020A	66.07170.111020A	1.687,
.243 Win.	66.07290.121020A	66.07290.111020A	1.687,
.308 Win.	66.07350.121020A	66.07350.111020A	1.687,
7 mm-08 Rem.	66.07370.121020A	66.07370.111020A	1.687,
.270 Win.	66.07470.121020A	66.07470.111020A	1.687,
7x64	66.07450.121020A	66.07450.111020A	1.687,
.30-06 Spring.	66.07510.121020A	66.07510.111020A	1.687,
.25-06 Rem.	66.07570.121020A	66.07570.111020A	1.687,
6,5x55 SE	66.07490.121020A	66.07490.111020A	1.687,
8x57 JS	66.07550.121020A	66.07550.111020A	1.687,
9,3x62	66.07610.121020A	66.07610.111020A	1.687,

STEYR MANNLICHER CL SX Mountain NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.222 Rem.	66.07126.021020A	66.07126.011020A	1.592,
.223 Rem.	66.07176.021020A	66.07176.011020A	1.592,
.243 Win.	66.07296.021020A	66.07296.011020A	1.592,
.308 Win.	66.07356.021020A	66.07356.011020A	1.592,
7 mm-08 Rem.	66.07376.021020A	66.07376.011020A	1.592,
.270 Win.	66.07476.021020A	66.07476.011020A	1.592,
7x64	66.07456.021020A	66.07456.011020A	1.592,
.30-06 Spring.	66.07516.021020A	66.07516.011020A	1.592,
.25-06 Rem.	66.07576.021020A	66.07576.011020A	1.592,
6,5x55 SE	66.07496.021020A	66.07496.011020A	1.592,
8x57 JS	66.07556.021020A	66.07556.011020A	1.592,
9,3x62	66.07616.021020A	66.07616.011020A	1.592,



STEYR MANNLICHER CL II SX SEMI WEIGHT



STEYR MANNLICHER CL SX Semi Weight WITH open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.308 Win.	66.17350.121120A	66.17350.111120A	1.687,
.30-06 Spring.	66.17510.121120A	66.17510.111120A	1.687,
8x57 JS	66.17550.121120A	66.17550.111120A	1.687,
9,3x62	66.17610.121120A	66.17610.111120A	1.687,

STEYR MANNLICHER CL SX Semi Weight NO open sights (Threaded M18x1)

Caliber	Set trigger Material number no sights/M18x1	Direct trigger Material number no sights/18x1	Suggested Retail Price in €
.308 Win.	66.17353.021120A	66.17353.011120A	1.592,
.30-06 Spring.	66.17513.021120A	66.17513.011120A	1.592,
8x57 JS	66.17553.021120A	66.17553.011120A	1.592,
9,3x62	66.17613.021120A	66.17613.011120A	1.592,



STEYR MANNLICHER CL II LEFT HAND VERSIONS

The STEYR MANNLICHER CL II is also available in a real left hand version in many varieties and calibers.

The exceptions are:

- 1) no .222 Rem., .223 Rem., .22-250 Rem., .300 WSM, .270 WSM., .375 H&H, .458 Win.Mag., .376 STEYR
- 2) no round or tactical bolt handle
- 3) no double set trigger
- 5) no Stainless rifles
- 7) no SEMI WEIGHT
- 8) no STEYR CARBON
- 9) no STEYR BREEZE
- 10) no Fullstock



STEYR MANNLICHER CL II Left with open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.243 Win.	66.06280.121062L	66.06280.111062L	2.152,
.308 Win.	66.06340.121062L	66.06340.111062L	2.152,
7 mm-08 Rem.	66.06360.121062L	66.06360.111062L	2.152,
.270 Win.	66.06460.121062L	66.06460.111062L	2.152,
7x64	66.06440.121062L	66.06440.111062L	2.152,
.30-06 Spring.	66.06500.121062L	66.06500.111062L	2.152,
.25-06 Rem.	66.06560.121062L	66.06560.111062L	2.152,
6,5x55 SE	66.06480.121062L	66.06480.111062L	2.152,
8x57 JS	66.06540.121062L	66.06540.111062L	2.152,
9,3x62	66.06600.121062L	66.06600.111062L	2.152,
.300 Win. Mag.	66.06830.121062L	66.06830.111062L	2.412,
7 mm Rem. Mag.	66.06750.121062L	66.06750.111062L	2.412,
8x68 S	66.06780.121062L	66.06780.111062L	2.412,
.300 Wthby. Mag.	66.06840.121062L	66.06840.111062L	2.412,
NEW!! .338 Win.Mag.	NA	66.06940.111062L	2.412,

STEYR MANNLICHER CL II Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.06286.021062L	66.06286.011062L	2.057,
.308 Win.	66.06346.021062L	66.06346.011062L	2.057,
7 mm-08 Rem.	66.06366.021062L	66.06366.011062L	2.057,
.270 Win.	66.06466.021062L	66.06466.011062L	2.057,
7x64	66.06446.021062L	66.06446.011062L	2.057,
.30-06 Spring.	66.06506.021062L	66.06506.011062L	2.057,
.25-06 Rem.	66.06566.021062L	66.06566.011062L	2.057,
6,5x55 SE	66.06486.021062L	66.06486.011062L	2.057,
8x57 JS	66.06546.021062L	66.06546.011062L	2.057,
9,3x62	66.06606.021062L	66.06606.011062L	2.057,
.300 Win. Mag.	66.06836.021062L	66.06836.011062L	2.317,
7 mm Rem. Mag.	66.06756.021062L	66.06756.011062L	2.317,
8x68 S	66.06786.021062L	66.06786.011062L	2.317,
.300 WBY	66.06846.021062L	66.06846.011062L	2.317,



STEYR MANNLICHER CL II Mountain Left with open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.243 Win.	66.06290.121062L	66.06290.111062L	2.207,
.308 Win.	66.06350.121062L	66.06350.111062L	2.207,
7 mm-08 Rem.	66.06370.121062L	66.06370.111062L	2.207,
.270 Win.	66.06470.121062L	66.06470.111062L	2.207,
7x64	66.06450.121062L	66.06450.111062L	2.207,
.30-06 Spring.	66.06510.121062L	66.06510.111062L	2.207,
.25-06 Rem.	66.06570.121062L	66.06570.111062L	2.207,
6,5x55 SE	66.06490.121062L	66.06490.111062L	2.207,
8x57 JS	66.06550.121062L	66.06550.111062L	2.207,
9,3x62	66.06610.121062L	66.06610.111062L	2.207,

STEYR MANNLICHER CL II Mountain Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.06296.021062L	66.06296.011062L	2.112,
.308 Win.	66.06356.021062L	66.06356.011062L	2.112,
7 mm-08 Rem.	66.06376.021062L	66.06376.011062L	2.112,
.270 Win.	66.06476.021062L	66.06476.011062L	2.112,
7x64	66.06456.021062L	66.06456.011062L	2.112,
.30-06 Spring.	66.06516.021062L	66.06516.011062L	2.112,
.25-06 Rem.	66.06576.021062L	66.06576.011062L	2.112,
6,5x55 SE	66.06496.021062L	66.06496.011062L	2.112,
8x57 JS	66.06556.021062L	66.06556.011062L	2.112,
9,3x62	66.06616.021062L	66.06616.011062L	2.112,



STEYR MANNLICHER CL II SX Left with open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.243 Win.	66.07280.121030L	66.07280.111030L	1.632,
.308 Win.	66.07340.121030L	66.07340.111030L	1.632,
7 mm-08 Rem.	66.07360.121030L	66.07360.111030L	1.632,
.270 Win.	66.07460.121030L	66.07460.111030L	1.632,
7x64	66.07440.121030L	66.07440.111030L	1.632,
.30-06 Spring.	66.07500.121030L	66.07500.111030L	1.632,
.25-06 Rem.	66.07560.121030L	66.07560.111030L	1.632,
6,5x55 SE	66.07480.121030L	66.07480.111030L	1.632,
8x57JS	66.07540.121030L	66.07540.111030L	1.632,
9,3x62	66.07600.121030L	66.07600.111030L	1.632,
.300 Win. Mag.	66.07830.121030L	66.07830.111030L	1.892,
7 mm Rem. Mag.	66.07750.121030L	66.07750.111030L	1.892,
8x68S	66.07780.121030L	66.07780.111030L	1.892,
.300 WBY	66.07840.121030L	66.07840.111030L	1.892,

STEYR MANNLICHER CL II SX Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.07286.021030L	66.07286.011030L	1.537,
.308 Win.	66.07346.021030L	66.07346.011030L	1.537,
7 mm-08 Rem.	66.07366.021030L	66.07366.011030L	1.537,
.270 Win.	66.07466.021030L	66.07466.011030L	1.537,
7x64	66.07446.021030L	66.07446.011030L	1.537,
.30-06 Spring.	66.07506.021030L	66.07506.011030L	1.537,
.25-06 Rem.	66.07566.021030L	66.07566.011030L	1.537,
6,5x55 SE	66.07486.021030L	66.07486.011030L	1.537,
8x57JS	66.07546.021030L	66.07546.011030L	1.537,
9,3x62	66.07606.021030L	66.07606.011030L	1.537,
.300 Win. Mag.	66.07836.021030L	66.07836.011030L	1.797,
7 mm Rem. Mag.	66.07756.021030L	66.07756.011030L	1.797,
8x68S	66.07786.021030L	66.07786.011030L	1.797,
.300 WBY	66.07846.021030L	66.07846.011030L	1.797,
NEW! .338 Win.Mag.	NA	66.07946.011030L	1.797,



STEYR MANNLICHER CL II Mountain SX Left with open sights

Caliber	Set trigger Material number with sights	Direct trigger Material number with sights	Suggested Retail Price in €
.243 Win.	66.07290.121030L	66.07290.111030L	1.687,
.308 Win.	66.07350.121030L	66.07350.111030L	1.687,
7 mm-08 Rem.	66.07370.121030L	66.07370.111030L	1.687,
.270 Win.	66.07470.121030L	66.07470.111030L	1.687,
7x64	66.07450.121030L	66.07450.111030L	1.687,
.30-06 Spring.	66.07510.121030L	66.07510.111030L	1.687,
.25-06 Rem.	66.07570.121030L	66.07570.111030L	1.687,
6,5x55 SE	66.07490.121030L	66.07490.111030L	1.687,
8x57 JS	66.07550.121030L	66.07550.111030L	1.687,
9,3x62	66.07610.121030L	66.07610.111030L	1.687,

STEYR MANNLICHER CL II Mountain SX Left NO open sights (Threaded M15x1)

Caliber	Set trigger Material number no sights/M15x1	Direct trigger Material number no sights/M15x1	Suggested Retail Price in €
.243 Win.	66.07296.021030L	66.07296.011030L	1.592,
.308 Win.	66.07356.021030L	66.07356.011030L	1.592,
7 mm-08 Rem.	66.07376.021030L	66.07376.011030L	1.592,
.270 Win.	66.07476.021030L	66.07476.011030L	1.592,
7x64	66.07456.021030L	66.07456.011030L	1.592,
.30-06 Spring.	66.07516.021030L	66.07516.011030L	1.592,
.25-06 Rem.	66.07576.021030L	66.07576.011030L	1.592,
6,5x55 SE	66.07496.021030L	66.07496.011030L	1.592,
8x57 JS	66.07556.021030L	66.07556.011030L	1.592,
9,3x62	66.07616.021030L	66.07616.011030L	1.592,

STEYR CARBON for SM12 and CL II models



For various SM12 and CL II models we now offer a Carbon Fibre version – the STEYR CARBON. With its lightweight and robust new designed Carbon Fibre stock the new STEYR CARBON is a desireable rifle for the modern hunter aswell as for the demanding sport shooter.

All STEYR Carbon rifles are equipped with a special muzzle thread that allows mounting the new STEYR FlexSight.

Thread sizes:

- M15x1 for Standard and light barrels
- 5/28-24 UNEF for 6,5 Creemoor
- M18x1 for .338 Lap.Mag.

The STEYR CARBON is available in the following models and calibers:

- STEYR CARBON SM12 or CL II Halfstock in .308 Win., .270 Win., .30-06 Spr. and .300 Win.Mag.
- STEYR CARBON SM12 or CL II Light in 308 Win., .270 Win., .30-06 Spr
- STEYR CARBON SM12 or CL II Heavy barrel in 6,5 Creedmoor or .338 Lap.Mag.

The STEYR CARBON is delivered in a special gun bag, a STEYR CARBON Cap and Notebook.







STEYR CARBON SM12

Model	Caliber	Materialnumber	Suggested Retail Price in €
SM12 Standard	.308 Win.	66.26346.000040C	4.152,
SM12 Standard	.270 Win.	66.26466.000040C	4.152,
SM12 Standard	.30-06 Spr.	66.26506.000040C	4.152,
SM12 Standard	.300 Win.Mag.	66.26836.000040C	4.412,
SM12 Light	.308 Win.	66.30356.000040C	4.442,
SM12 Light	.270 Win.	66.30476.000040C	4.442,
SM12 Light	.30-06 Spr.	66.30516.000040C	4.442,
SM12 Heavy barrel	6,5 Creedmoor	66.36253.000140C	4.302,
SM12 Heavy barrel	.338 Lap.Mag.	66.26933.000140C	4.542,

STEYR CARBON CL II

Model	Caliber	Materialnumber	Suggested Retail Price in €
CL II Standard	.308 Win.	66.06346.021040C	3.540,
CL II Standard	.270 Win.	66.06466.021040C	3.540,
CL II Standard	.30-06 Spr.	66.06506.021040C	3.540,
CL II Standard	.300 Win.Mag.	66.06836.021040C	3.798,
CL II Light	.308 Win.	66.10356.021040C	3.822,
CL II Light	.270 Win.	66.10476.021040C	3.822,
CL II Light	.30-06 Spr.	66.10516.021040C	3.822,
CL II Heavy barrel	6,5 Creedmoor	66.16253.021140C	3.752,
CL II Heavy barrel	.338 Lap.Mag.	66.06933.021140C	3.911,





STEYR CARBON Accesoires

Accessories	Material Number	Suggested Retail Price in €
Picatinnyrail for forend	6600091600	90,
Flex MuzzleBrake M15x1 (normal barrel and light) up to caliber 8,2mm	6600010052	160,
Carbon stock as a spare part	currently not available	2.095,
FlexSight for M18x1 (.338 Lap.Mag)	6600011555	190,
FlexSight for 5/28-24 UNEF (6,5 Creedmoor)	6600011552	190,
FlexSight for M15x1 (normal barrel and light)	6600011553	190,
Sling stud (M5x15)	7615060021	13,
Muzzle brake M18x1 for .338 Lap.Mag.	2600010022	310,
Counternut for muzzle brake for .338 Lap.Mag.	2600010011H	50,



Steyr FlexSight



Flex MuzzleBrake (can used on all Steyr rifles with threaded barrel)



NEW! STEYR BREEZE

The STEYR BREEZE is an integrated silencer rifle based on the CL II, SM12 and CL II Carbon and SM12 Carbon.

The STEYR BREEZE features a 407mm stainless barrel and an integrated Carbon fibre silencer. The weight of the STEYR BREEZE is approx.. 3,4kg and of the STEYR BREEZE Carbon 3,05kg. The overall length of the STEYR BREEZE is 1170mm and the BREEZE Carbon 1150mm.

Model	Caliber	Materialnumber	Suggested Retail Price in €
CL II	.308 Win.	66.06316.021082A	3.543,
CL II	6,5 Creedmoor	66.06246.021082A	3.543,
CL II Carbon	.308 Win.	66.06316.021040C	5.118,
CL II Carbon	6,5 Creedmoor	66.06246.021040C	5.118,
SM12	.308 Win.	66.26316.000082A	4.063,
SM12	6,5 Creedmoor	66.26246.000082A	4.063,
SM12 Carbon	.308 Win.	66.26316.000040C	5.638,
SM12 Carbon	6,5 Creedmoor	66.26246.000040C	5.638,



Currently the STEYR BREEZE is available only in .308 Win. and 6,5 Creedmoor. If you require other calibers please contact your Steyr sales manager.



Accessoires and Stocks for SM12®, CL II and MANNLICHER CLASSIC

Accessories	Material Number	Suggested Retail Price in €
SM12 and CLII Accessoires		
Surcharge SSG bolt handle		185,
Rear sight assembly metal .222 Rem., .223 Rem., .243 Win., .308 Win., .7 mm-08 Rem., .270 Win., 7x64, 30-06 Spring., 25-06 Rem., 6,5x55 SE, 6,5x57, 8x57 JS, 9,3x62	2400010010	60,
Rear Sight assembly metal .300 Win. Mag., 7 mm Rem. Mag., 6,5x68, 8x68	2400010017	60,
Halfstock		840,
SSG-Muzzlebrake (QD Silencer compatible) on a new rifle (if possible) for M18x1	incl. Counternut	360,
Factory threaded barrel (standard thread) on a new rifle		95,
Lead free Edition (.30-06 Spr., .300 Win.Mag.)		185,
MuzzleBrake M15x1 (normal barrel) up to caliber 8,2mm	6600010052	160,
MuzzleBrake M15x1 (normal barrel) caliber 8,2-9,6mm	6600010053	160,
Laminated Thumbholestock	Surcharge for CLII and SM12	185,
NEW! Adjustable Cheekpiece Kalix CR1 - mounted on SX stock	1-HW-04200	140,
SM12 Accessoires		
Bolt lock (surcharge on a new rifle)		230,
Reset Action (surcharge o a new rifle)		600,
CL II Accessoires (and MANNLICHER CLASSIC)		
Set Trigger (6600030502-CLII, 2600030502-CLASSIC)		446,
Double Set Trigger (6600030504-CL II, 2600030504-CLASSIC)		650,
Surcharge Double Set Trigger on a new rifle		240,





Stocks

Stocks	Material Number	Suggested Retail Price in €
SM12 and CLII		
Surcharge left hand stock		185,
Padding & Fitting of Stock		185,
Surcharge Halfstock L wood grade LUXUS stock only 1.061,	6602060402	210,
Surcharge Halfstock M wood grade LUXUS stock only 1.061,	6603060402	210,
Surcharge Halfstock S wood grade LUXUS stock only 1.061,	6604060402	210,
Surcharge Halfstock L wood grade SUPER LUXUS stock only 1.491,	6602060403	620,
Surcharge Halfstock M wood grade SUPER LUXUS stock only 1.491,	6603060403	620,
Surcharge Halfstock S wood grade SUPER LUXUS stock only 1.491,	6604060403	620,
Surcharge Halfstock L wood grade EXHIBITION stock only 2.153,	6602060404	1.250,
Surcharge Halfstock M wood grade EXHIBITION stock only 2.153,	6603060404	1.250,
Surcharge Halfstock S wood grade EXHIBITION stock only 2.153,	6604060404	1.250,
CARBON stock	Currently not available	2.042,



Stocks	Material Number	Suggested Retail Price in €
SM12 and CLII		
Surcharge left hand stock		185,
Padding & Fitting of Stock		185,
Surcharge Halfstock L wood grade LUXUS stock only 1.061,	6602060402	210,
Surcharge Halfstock M wood grade LUXUS stock only 1.061,	6603060402	210,
Surcharge Halfstock S wood grade LUXUS stock only 1.061,	6604060402	210,
Surcharge Halfstock L wood grade SUPER LUXUS stock only 1.491,	6602060403	620,
Surcharge Halfstock M wood grade SUPER LUXUS stock only 1.491,	6603060403	620,
Surcharge Halfstock S wood grade SUPER LUXUS stock only 1.491,	6604060403	620,
Surcharge Halfstock L wood grade EXHIBITION stock only 2.153,	6602060404	1.250,
Surcharge Halfstock M wood grade EXHIBITION stock only 2.153,	6603060404	1.250,
Surcharge Halfstock S wood grade EXHIBITION stock only 2.153,	6604060404	1.250,
CARBON stock	Currently not available	2.042,



STEYR ARMS PRICE LIST 2021 MAGAZINES FOR SM 12® AND CL II

MAGAZINES WITH STEEL BOTTOM (MANNOX®)

	T.	
Caliber	Material number	Suggested Retail Price in €
.222 Rem.	2610051501	134,
.223 Rem.	2610051503	134,
.243 Win, 7mm-08 Rem., .308 Win., 6,5 Creedmoor, .260 Rem., .338 Fed.	2602051601	134,
.25-06 Rem., .270 Win., .280 Rem., 7x64, .30-06 Spr.	2603051601	134,
6,5x55 SE, 6,5x57, 8x57 JS	2603051602	134,
9,3x62	2603051512	134,
6,5x68, 7mm Rem. Mag., .300 Win. Mag., 8x68, .300 Wthby. Mag.	2604051601	134,
.270 WSM, .300 WSM (for CLASSIC and PRO HUNTER)	2615051601	134,

MAGAZINES WITH SYNTHETIC BOTTOM (STANDARD)

Caliber	Material number	Suggested Retail Price in €
.222 Rem.	2611050501	81,
.223 Rem.	2611050503	81,
.22-250 Rem.	2602050550	81,
.243 Win, 7mm-08 Rem., .308 Win. 6,5 Creedmoor, .260 Rem., .338 Federal	2607050601	81,
.25-06 Rem., .270 Win., .280 Rem., 7x64, .30-06 Spr.	2608050601	81,
6,5x55 SE, 6,5x57, 8x57 JS	2608050602	81,
9,3x62	2608050512	81,
6,5x68, 7mm Rem. Mag., .300 Win. Mag., 8x68, .300 Wthby. Mag.	2609050601	81,
.270 WSM, .300 WSM (for CLASSIC and PRO HUNTER)	2615050601	81,
.270 WSM, .300 WSM (for SM12 and CL II)	2615051520	81,
.375 H&H, .458 Win. Mag.	2622050520	81,



HC-MAGAZINES FOR MANNLICHER SM 12® AND CL II

The new HC-Magazines for the SM12 and CL II are available and can be used on all rifles without the need of any adapter. They can also be used on old CLASSIC and PRO HUNTER models



Caliber	Material number	Suggested Retail Price in €
HC Magazine for .243 Win, 7mm- 08 Rem., .308 Win., 6,5 Creedmoor	6607050501	140,
HC Magazine for .25-06 Rem., .270 Win., .280 Rem., 7x64, .30-06 Spr., 6,5x55 SE, 8x57 JS	6608050501	140,
HC Magazine for 7mm Rem. Mag., .300 Win. Mag., 8x68, .300 Wthby. Mag.	6609050501	140,
HC Magazin for 9,3x62	6608050502	140,



SCOPE MOUNTS FOR SM12® AND CL II

STEYR ARMS mounts

Scope Mounts	Material Number	Suggested Retail Price in €
STEYR swing mount rings tube diameter 1" MANNOX	6600070408	320,
STEYR swing mount rings tube diameter 30 mm MANNOX	6600070410	320,
Flexmount Zeiss rail MANNOX	1-HW-2400- 4500	350,
Flexmount for Weaver rail	2400-5000	350,
Flexmount for Swarovski rail	2400-6000	350,
Flexmount for S&B rail	2400-7000	350,
Base for original STEYR Swing mount MANNOX for STEYR SM12 and CL II (3mm higher then old ones)	6600070603	85,
NEW Original STEYR swing mount GEN II 40mm	6600071640	480,
NEW Original STEYR swing mount GEN II 30mm	6600071630	480,
NEW Original STEYR swing mount GEN II 1"	6600071625	480,
NEW Base for STEYR swing mount GEN II	6603071603	110,
Picatinny Rail L or S (+WSM for CL II and SM12)	2607070003H	118,
Picatinny Rail L or S 20MOA	2607070005	118,
Picatinny Rail SL, M (+WSM for Classic and PRO HUNTER)	2607070004	118,
Screws for Picatinny Rail (6 Pieces à 1.50/pcs.)	3900419 (6x)	included
Weaver Set (2 pcs.) like on PRO ALASKAN	1-HW-260101	62,
Surcharge for a new rifle with Weaver Set	1-HW-260101	65,
Picatinny Base (2 pcs.) for SM12 or CL II	1-HW-260103	62,
Mounting and zeroing original STEYR swing mount	DL-0007	248,

Leupold mounts

Scope Mounts	Material Number Glossy / Matt	Suggested Retail Price in €
Leupold rings high gloss finish for tube diameter 1 inch	1-HW-49900 / 1-HW-49901	79,
Leupold rings matt for tube diameter 30 mm	1-HW-49961 / 1-HW-49959	101,
Leupold rings high for tube diameter 30 mm high gloss finish	1-HW-49960 / 1-HW-49956	101,
Leupold mount base fix high gloss finish	1-HW-50029 / 1-HW-50030	51,
Leupold QR base	1-HW-50057	103,
Leupold QR rings tube diameter 1"	1-HW-49976	79,
Leupold QR rings tube diameter 30 mm	1-HW-49931	101,
Mounting and zeroing Leupold mount	DL-0008	200,





CUSTOM SHOP for STEYR MANNLICHER SM 12® and CL II

STEYR ARMS revives the century old, highly exclusive technique of coloured case hardening. The Antique models unite traditional finish with state-of-the-art arms technology.

The visually pleasing Antique models comprise a special coloured case hardening finish of housing, bolt handle, breech plug cap, magazine cover, screw base, trigger guard, rear sight base and front sight base.









In addition, barrel and system screws get a blued finish.

Besides the ostensible idea of visually pleasing design, this type of surface treatment entails technical advantages too. The process of hardening causes extremely hard surface conditions of the treated parts, which enteals a higher wear resistance. Components treated this way have a higher resistance against corrosion and mechanical stress.





The "Antique" models combine exquisite design, first class quality, long lifetime and excellent precision in one exclusive rifle.

With this novelty we want to accommodate the requirements of our customers with exalted requirements.



Engravings

In by gone times, hunting was a privilege enjoyed only by kings and nobility. Naturally, they only appreciated equipment of the best quality. It is no wonder that for many centuries hunting weapons have been embellished and decorated with engravings.







Today hunting weapons are valued as jewels and investment for many huntsmen. Thus, any decoration or ornament will add to the individual value of their weapon. They are visible expressions of the special importance hunting has in the life of the hunter.



















Pistolgrip cap with engraved game head

For detailed information concerning the engravings available, please contact your Area Sales Manager.





STEYR ARMS PRICE LIST 2021 CUSTOM SHOP STEYR MANNLICHER SM 12® AND CL II

Custom Shop / Repairs

Custom Shop	Suggested Retail Surcharge in €
Surcharge Antique	2.282,
Surcharge 24ct (all metal parts are 24 carat gold plated)	10.050,
Standard Engraving (2 game scenes on receiver, 1 game head on magazine bottom, arabesques, oakleaves) - also available with black system	4.857,
"Elegance" Engraving	1.566,
Fine line engraving (system, magazine)	1.620,
Gold-plated Trigger CL II (EUR 60,- surcharge new rifle)	130,
Pistol grip cap steel with Initals	310,
Pistol grip cap steel with Initals and Gold inlay	905,
Pistol grip cap steel with engraved game head	600,
Hand polished stock finish	370,
MANNOX surface for old STEYR MANNLICHER rifles	650,
Engraved magazineplate (gamehead and border engraving)	850,
Pistol Grip Antique (no engraving)	200,
Mount Antique complete	850,

Custom Shop / Repairs	Material Number	Suggested Retail price in €
Hourly rate for gunsmith		135,
Mounting of butt plate (without butt plate)	1-DL-02007	120,
Mounting of butt plate (with butt plate)	1-DL-02010	180,
Barrel exchange SBS & Luxus (without barrel)		570,
Resin bedding of MANNLICHER system		210,
Swivel on barrel		110,
Barrel shortening		240,
Barrel STEYR MANNLICHER model SL/L/M		590,
Barrel STEYR MANNLICHER model S and Mountain		590,
Barrel SBS 558mm standard calibre		590,
Barrel SBS 635mm magnum calibre		590,
Barrel SBS 508mm		590,
Threading of used rifle (from 1996 onwards) including official proof test and thread cap		300,
Threading of used rifle (from 1996 onwards) with purchase of STEYR Breezer including official proof test and thread cap		160,

Information for threading barrels:

All rifles from 1996 (SBS) onwards can be threaded as well as all Mannlicher Luxus old model (before 1996). All other Steyr rifles (fe. Steyr Mannlicher S, M, I and SL models) can not be used with silencers and will therefore not be threaded.

For rifles with open sights please note that the front sight is removed and will not be placed on another position. Therefore, a silver marking on the barrel (where the sight was welded to the barrel) will remain visible.



NEW! STEYR PRO VARMINT

The new STEYR PRO VARMINT is a rifle that combines high fire rates with the proverbial precision of STEYR ARMS. Thanks to that it's the ideal rifle for Varmint shooting, training and competitions at the shooting range. The STEYR PRO VARMINT comes with a highly accurate, cold hammer forged, fluted heavy barrel in stainless. Every rifle is run in the factory which allows superb accuracy out of the box.

The STEYR PRO VARMINT is factory equipped with a Picatinny rail (Mil. Std. 1913 rail), which allows easy mounting of different optics and aiming devices. The bolt handle is designed for fast repeating and the adjustable cheek piece gives a maximum of stability in any shooting position.

Available in the calibers .222 Rem. and .223 Rem., .22-250 Rem, 243 Win. and .308 Win.



Technical Data	STEYR PRO VARMINT
System	Stainless fluted
Trigger	optional combi trigger (single set trigger) or direct trigger
Bolt Handle	- tactical bolt handle -
Stock	Synthetic with aluminium bedding and adjustable cheek piece -
Magazine	- synthetic box magazine -
Magazine Capacity	-4 rounds -
Barrel Length	558 mm-
Overall Length	1073 mm -
Weight	арр. 3900 g
Twist rate	.222 Rem.: 1 in 14"; .223 Rem.: 1 in 9"; .22-250 Rem: 1 in 12"; 243 Win.: 1 in 10"; .308 Win.: 1 in 12"

STEYR ARMS PRO VARMINT Prices

Caliber	Set trigger Material number 5/8-24 UNEF thread	Direct trigger Material number 5/8-24 UNEF thread	Suggested Retail Price in €
.222 Rem. NEW SX STOCK	66.19107.021220A	66.19107.011220A	2.267,
.223 Rem. NEW SX STOCK	66.19157.021220A	66.19157.011220A	2.267,
.22-250 Rem. NEW SX STOCK	66.19067.021220A	66.19067.011220A	2.267,
.243 Win. NEW SX STOCK	66.19287.021220A	66.19287.011220A	2.267,
.308 Win. NEW SX STOCK	66.19347.021220A	66.19347.011220A	2.267,

The same magazines as for SM12 and CLII can be used.



NEW! STEYR THB 6,5 CREEDMOOR

A special model in caliber 6,5 Creeedmoor with 635mm long threaded barrel (5/8-24 UNEF) and a Picatinny rail for every shooting enthusiast. The green synthetic stock features a long aluminium bedding for utmost stability.



Caliber	Set trigger Material number	Direct trigger Material number	Suggested Retail Price in €
6,5 Creedmoor	66.20257.021120A	66.20257.011120A	1.718,



STEYR SCOUT



With a total length of 98 cm and a weight of just 3 kg the STEYR SCOUT is extremely light and compact. The locking mechanism is based on the SBS (Safe Bolt System).

The three positioned roller safety switch rides on the center line of the tang. Both 5- and 10-round (adapter necessary) detachable box magazines may be used. Advanced handling characteristics, a perfect trigger and traditional STEYR ARMS precision combined with unbeatable usability make the STEYR SCOUT rifle the ideal weapon system for fast target acquisition and engagement.

The stock features a spare magazine in the butt stock. The receiver includes flip-up emergency sights.



The bipod integrated in the foreend stock can be deployed when needed.





The STEYR SCOUT is also available with optional decoration inserts with walnut appearance.



Technical Data	STEYR SCOUT	
System	Aluminium	
Trigger	direct trigger	
Bolt Handle	rounded bolt handle	
Stock	synthetic stock black or grey with integrated deployable bipod	
Magazine	synthetic box magazine	
Magazine Capacity	5 rounds, additional magazine in the stock, 10-round magazine for .308 Win (HC-Kit needed) as an extra	
Model	Nato standard rail in the fore-end stock and flip-up emergency sights	
Barrel Length	480 mm	
Overall Length	980 mm	
Weight	app. 3000 g	

STEYR SCOUT

Caliber	Material Number	Suggested Retail Price in €
.223 Rem. Black	26.046.3B0	1.906,
.243 Win. Black	26.286.3B0	1.906,
7mm-08 Rem. Black	26.366.3B0	1.906,
.308 Win. Black	26.346.3B	1.906,
NEW! 6.5 Creedmoor Win. Black 1/2-20UNF	26.347.3B	1.998,
.223 Rem. Mud	26.046.3M	1.906,
.243 Win. Mud	26.286.3M	1.906,
.308 Win. Mud	26.346.3M	1.906,
NEW! 6.5 Creedmoor Win. Mud 1/2-20UNF	26.347.3M	1.998,
.223 Rem. Green	26.046.3E	1.906,
.243 Win. Green	26.286.3E	1.906,
.308 Win. Green	26.346.3E	1.906,
NEW! 6.5 Creedmoor Win. Green 1/2-20UNF	26.347.3E	1.998,



STEYR SCOUT SCOPE MOUNTS

Scope Mount	Material Number	Suggested Retail Price in €
Scope mount for Scout / Ultra Light 30 mm high (up to 70 mm object lens diameter)	2614070503	237,
Mounting and zeroing original STEYR SCOUT mount and scope mounts fix for Scout	DL-0008	200,



STEYR SCOUT ACCESSORIES

Accessories	Material Number	Suggested Retail Price in €
HC-adapter-kit grey	2614050600	98,
HC-adapter-kit black	2614050601	98,
10-round magazine .243 Win., .308 Win., 7mm-08 Rem.	2607050604	140,
8-round magazine .376 Steyr	2607050505	140,
5-round magazine .243 Win., 7mm-08 Rem., .308 Win.	2614050602	81,
5-round magazine .223 Rem.	2614050604	81,
4-round magazine .376 Steyr	2614050502	81,
Butt spacer	2614060007	30,
Soft butt plate	2614060038	42,
Cheek piece and butt plate STEYR ELITE complete	2614060690	206,
Conversion kit cheek piece	2614060691	94,
Conversion kit butt plate	2614060692	124,
Sling Swivel Millet	2600060022	24,



NEW! STEYR SSG M1



The next evolution for Steyr Arms sniper rifle family – the STEYR SSG M1.

Features of the STEYR SSG M1

- Ase Utra muzzle brake
- M-LOK Forend
- 7-slot M-LOK Picatinny rail
- Heavy Duty Bolt
- Adjustable butt stock (length of pull, butt-plate and cheek-piece)
- Top Picatinny rail 30MOA
- Interchangeable barrel
- Direct trigger, adjustable in length
- Harris Bipod
- Dissasembling Tool

Technical Data	STEYR SSG M1
System	Bolt Action, SBS (safe bolt system)
Trigger	Adjustable 2-stage trigger (also trigger position is adjustable)
Caliber	.308 Win., 6.5Creedmoor or .338 Lap. Mag. (Caliber can be changed)
Stock	Aluminium folding stock (folds to the right)
	Colours available: Black, OD-Green, Flat Dark Earth
	Handguard M-LOK
	Adjustable cheek piece, butt plate and length of pull
Magazine	Detachable steel- double column box. Low profile reloading feature (loading from the side) with bolt stop functionality (bolt stays at the rear when magazine is empty)
Magazine Capacity	10 rounds
Barrel Length	Stainless steel barrel
	.308 Win.:635 mm (25") /or 508mm (20")
	6.5 Creedmoor:635 mm (25") /or 508mm (20")
	.338 Lap. Mag.: 690mm (27,2")
Overall Length	1225mm (635mm barrel); 1098mm (508mm barrel); 1280mm (690mm barrel)
	folded approx. 200 mm shorter
Weight	6470g (600 mm barrel); 6320g (508mm barrel); 6820g (690mm barrel)
Rail	30 MOA Top Picatinny rail and 380mm long picatinny rail at the top of handguard
Included Accessories	Harris bipod, dust cover, case deflector



STEYR SSG M1

Caliber	Material Number	Suggested Retail Price in €
.338 Lap.Mag. M-LOK black	62.151.3KAB	9.293,
.338 Lap.Mag. M-LOK FDE	62.151.3KDA	9.293,
.338 Lap.Mag. M-LOK OD-Green	62.151.3KGA	9.293,
.308 Win. 508mm M-LOK black	62.252.3KAB	9.293,
.308 Win. 508mm M-LOK FDE	62.252.3KDA	9.293,
.308 Win. 508mm M-LOK OD- Green	62.252.3KGA	9.293,
.308 Win. 635mm M-LOK black	62.253.3KAB	9.293,
.308 Win. 635mm M-LOK brown	62.253.3KDA	9.293,
.308 Win. 635mm M-LOK OD- Green	62.253.3KGA	9.293,
6,5CM 635mm M-LOK black	62.353.4KAB	9.293,
6,5CM 635mm M-LOK FDE	62.353.4KDA	9.293,
6,5CM 635mm M-LOK OD-Green	62.353.4KGA	9.293,

ACCESSOIRES

Accessories	Material Number	Suggested Retail Price in €
Picatinnyrail 7 slots M-LOK	1-HW-20221	40,
Atlas Bipod (black)	1-HW-09585	534,
Harris Bipod	1-HW-290901	221,
Harris Adapter for Picatinny	1-HW-09543	69,
Monopod	1-HW-09579	260,
Tactical sling	1-HW-09571	94,
Ammo-pouch	1-HW-01025	37,
Hook wrench	5790190	9,
Torx key T20	5590543	4,
Torx key T30	1-HW-05025	1,
Stormcase iM3300 with Foam	1-KO-01020-M1	504,
Bit T30	5590202	2,
Cleaning Kit .338LM	6200090510	186,
Torque wrench	1-HW-02909	158,







EXCHANGEABLE BARRELS, MAGAZINES AND CONVERSION KITS

Conversion Kit

Accessories	Material Number	Suggested Retail Price in €
BLACK		
Conversion Kit .338 Lap.Mag.	E6201100001AB	1.750,
Conversion Kit .308 Win. 635mm	E6202100001AB	1.750,
Conversion Kit .308 Win. 508mm	E6202100011AB	1.750,
Conversion Kit 6.5 Creedmoor	E6202101002AB	1.750,
FDE		
Conversion Kit .338 Lap.Mag.	E6201100001DA	1.750,
Conversion Kit .308 Win. 635mm	E6202100001DA	1.750,
Conversion Kit .308 Win. 508mm	E6202100011DA	1.750,
Conversion Kit 6.5 Creedmoor	E6202101002DA	1.750,
OD-Green	Thread 5/8-24 UNEF	
Conversion Kit .338 Lap.Mag.	E6201100001GA	1.750,
Conversion Kit .308 Win. 635mm	E6202100001GA	1.750,
Conversion Kit .308 Win. 508mm	E6202100011GA	1.750,
Conversion Kit 6.5 Creedmoor	E6202101002GA	1.750,

Conversion Kit contains: Barrel, Bolt and 1 Magazine.





Barrels, Bolts Magazines

Accessories	Material Number	Suggested Retail Price in €
BLACK	Thread 5/8-24 UNEF	
Barrel .338 Lap.Mag.	E6201110501AB	1.150,
Barrel .308 Win. 635mm	E6202110501AB	1.150,
Barrel .308 Win. 508mm	E6202110511AB	1.150,
Barrel 6.5 Creedmoor 635mm	E6202111502AB	1.150,
FDE	Thread 5/8-24 UNEF	
Barrel .338 Lap.Mag.	E6201110501DA	1.150,
Barrel .308 Win. 635mm	E6202110501DA	1.150,
Barrel .308 Win. 508mm	E6202110511DA	1.150,
Barrel 6.5 Creedmoor 635mm	E6202111502DA	1.150,
OD Green	Thread 5/8-24 UNEF	
Barrel .338 Lap.Mag.	E6201110501GA	1.150,
Barrel .308 Win. 635mm	E6202110501GA	1.150,
Barrel .308 Win. 508mm	E6202110511GA	1.150,
Barrel 6.5 Creedmoor 635mm	E6202111502GA	1.150,
Black		
Bolt Complete .338 Lap.Mag.	E6201041501AB	450,
Bolt Complete (.308 Win & 6.5CM)	E6202041501AB	450,
Magazine .338 LM	6201050510AB	235,
Magazine (.308 Win. & 6.5CM)	6202050501AB	235,
FDE		
Bolt Complete .338 Lap.Mag.	E6201041501DA	450,
Bolt Complete (.308 Win & 6.5CM)	E6202041501DA	450,
Magazine .338 LM	6201050510DA	235,
Magazine (.308 Win. & 6.5CM)	6202050501DA	235,
OD-Green		
Bolt Complete .338 Lap.Mag.	E6201041501GA	450,
Bolt Complete (.308 Win & 6.5CM)	E6202041501GA	450,
Magazine .338 LM	6201050510GA	235,
Magazine (.308 Win. & 6.5CM)	6202050501GA	235,



STEYR SSG 08

A milestone from the developers of STEYR ARMS! The STEYR SSG 08 is the ultimate rifle for every sport shooting purpose!

Thanks to it's aluminium folding stock the STEYR SSG 08 can be transported easily in a small case.

The STEYR SSG 08 features:

- High grade alumnium folding stock
- Adjustable cheek piece and butt plate with height marking
- Ergonomical exchangeable pistol grip
- A new designed massive bipod for all calibers
- Muzzle brake
- Picatinny rail, UIT rail on stock and various Picatinny rails on fore end
- 10-round HC-magazine

The STEYR SSG 08 in .308 Win. is available with a 600mm or 508mm barrel or with a 690mm barrel!



Technical Data	STEYR SSG 08		
System	MANNOX®		
Trigger	direct tr	igger	
Caliber	.308 Win and .300 Win. Mag.	.338 Lapua Magnum	
Stock	Dural Aluminium foldingstock black with 280mm long UIT-Rail. External bolt release and various Picatinny rails		
Magazine	High capacity synthetic box magazine		
Magazine Capacity	.308 Win.: 10 rounds; .300 Win. Mag. 8 6 rounds		
Barrel Length	HB 600 mm (23.6") / HBC 508 mm 690 mm (20")		
Overall Length	1182mm (600mm); 1090mm (508mm); 1272 mm folded approx. 220 mm shorter folded approx. 220 mm shorter		
Weight	5,7kg (600 mm without bipod), 5,5kg (508mm without bipod)	6 kg	







STEYR SSG 08 folding mechanism



STEYR SSG 08 PRICE

Caliber	Material Number	Suggested Retail Price in €
.243 Win. 600 mm	60.527.3K	5.068,
.308 Win. 600 mm	60.533.3K	5.068,
.308 Win. 508 mm	60.535.3K	5.068,
.308 Win. 690 mm Ext. Barrel	60.532.3K	5.488,
.300 Win. Mag.	60.582.3K	5.318,
.300 Win. Mag. 690 mm Ext. Barrel	60.581.3K	5.738,
.338 Lap. Mag.	60.593.3K	5.895,



STEYR SSG 08 CAMOUFLAGE



The STEYR SSG 08 is also available with a special extremely rigid Camouflage coating. Also available in the new Bush-Camo – **when ordering please let us know which Camouflage you want**. Surcharge to the normal rifle: EUR 540,-

STEYR SSG 08 CAMOUFLAGE PRICE

Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm	60.533.3KC	5.638,
.308 Win. 508 mm	60.535.3KC	5.898,
.300 Win. Mag.	60.582.3KC	5.638,
.338 Lap. Mag.	60.593.3KC	6.465,

STEYR SSG 08 STAINLESS

The STEYR SSG 08 is also available in a Stainless version in calibre .308 Win. and .338 Lap. Mag.



Caliber	Material Number	Suggested Retail Price in €
.308 Win.	60.733.3K	5.313,
.338 Lap. Mag.	60.793.3K	6.140,



STEYR SSG 08 A1

Improving the Best: The STEYR SSG 08 A1 the ultimate precision rifle from Steyr Arms.

With its long picatinny railsystem and fully adjustable folding stock – even in length the STEYR SSG 08 A1 sets new benchmarks on the precision rifle market.

This precision machine also features a dust cover that secures together with a special bolt design operation even in the most rigid conditions. Various Picatinny rails throughout the system guarantee maximum flexablity and possibility for customizing the rifle.



The rifle is equipped with a new high tech adjustable trigger unit, which allows even length adjustments and guarantees a perfect fit for every shooter at any circumstances.



Heavy duty bolt design

STEYR SSG 08 A1

Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm	60.633.3KL	8.118,
.308 Win. 508 mm	60.635.3KL	8.118,
.338 Lap. Mag.	60.693.3KL	8.945,



STEYR SSG 04 AND STEYR SSG 04 A1 - REINTRODUCED



The STEYR SSG 04 in cal. 308 Win. and 300 Win. Mag. was designed giving high accuracy, ease of maintenance, reliability and robustness for both sport shooters and law enforcement personal. The SSG 04 comes fully equipped with muzzle brake, Harris-bipod, high capacity magazine, adjustable cheekpiece and buttplate.

Technical Data	STEYR SSG 04 (308 Win.)	STEYR SSG 04 (300 Win. Mag.)	
System	MANNOX®		
Trigger	single trigger, 2 stage, factory	set between 3.50 and 4.00 lbs.	
Stock	Black fibreglass reinforced synthetic with adjustable cheek piece and buttplate, Harris bipod included		
Magazine	- Black synthetic, double staggered, detachable -		
Magazine Capacity	10 rounds 8 rounds		
Scope Mounts	- Picatinny rail -		
Barrel Length	600 mm or 508 mm 600 mm		
Overall Length	1175mm or 1083 mm	1175 mm	
Weight	- app. 4900 g resp. 4700 g -		



The STEYR SSG 04 A1 is a slightly modified version of the STEYR SSG 04. With a long rail Picatinny system (Mil. Std. 1913), adjustable cheek piece and butt plate, high capacity magazine and a muzzle brake developed by STEYR ARMAS it has every technical detail required for precise results.

The STEYR SSG 04 has the same technical data (except about 200gr. More weight) as the STEYR SSG 04 and is available in caliber .308 Win. and .300 Win. Mag.



STEYR SSG 04 AND SSG 04 A1

Caliber	Material Number	Suggested Retail Price in €
.308 Win. 600 mm SSG 04	60.533.3G	2.715,
.308 Win. 508 mm SSG 04	60.535.3G	2.715,
.300 Win.Mag. 600 mm SSG 04	60.582.3G	2.975,
.308 Win. 600 mm SSG 04 A1	60.633.3G	3.515,
.308 Win. 508 mm SSG 04 A1	60.635.3G	3.515,
.300 Win.Mag. 600 mm SSG 04 A1	60.682.3G	3.775,



ACCESSOIRES FOR STEYR SSG SERIES

Accessories	Material Number	Suggested Retail Price in €
Accessoires for SSG 04 and SSG 08		
Anti mirage strap 690mm barrel	2613090512	62,
Anti mirage strap 600mm barrel	2613090510	62,
Anti mirage strap 508mm barrel	2613090511	62,
NVS Bridge mount (for SSG 08)	2620070600	238,
Accessoires for SSG 08 and SSG 08-A1		
Bipod STEYR	2600090602	488,
Accessoires for SSG 04-A1		
Long Railsystem SSG04 A1	2607070510	1.245,
Accessoires for SSGs		
Magazin .308 Win 10 rnds	2607050604	140,
Magazin .300 Win.Mag. 8 rnds	2609050604	140,
Magazine .338 LM 6 rnds	2622050600	160,
Z-Aim Pro Stalker Sling	1-HW-3101-5	78,



Anti mirage strap

Z-Aim Pro Stalker sling

Information for the Long Rail system for STEYR SSG 04-A1:

Please note that the serial number has to be lasered in the longrail system before attaching it to a rifle! For example by mounting it on a STEYR SSG 04. Therefore the rifle has to be sent to our work shop!




STEYR ELITE

STEYR ELITE – The ultimate precision rifle, based on the SBS-system.

Utmost accuracy and safety and yet even more comfortable to use, this rifle meets the marksman's highest demands.



- The locking system bases on the approved system SBS
- The bipod integrated in the fore-end stock can be deployed when needed.
- All bipods available on the market can be mounted on the Nato standard rail integrated in the fore-end stock
- Long Picatinnyrail allows a wide range of optical sights to be mounted.







Technical Data	STEYR ELITE
System	matt black
Trigger	direct trigger
Stock	black synthetic stock with integrated deployable bipod, height adjustable cheek piece and cheek cap
Magazine	synthetic box magazine
Magazine Capacity	5 rounds, additional magazine in the stock, 10-round magazine for 308 Win. (HC-Kit needed) as an extra
Model	Picatinny rail
Barrel Length	- 570 mm -
Overall Length	- 1090 mm -
Weight	app. 4250 g -

STEYR ELITE

Caliber	Material Number	Suggested Retail Price in €
.308 Win.	56.906.3B	2.565,

STEYR ELITE 08



Caliber	Material Number	Suggested Retail Price in €
.308 Win.	56.905.38	5.068,
7mm-08 Rem.	56.904.38	5.068,
.308 Win. Stainless	56.910.38	5.298,

Sames specs as the STEYR ELITE but with an aluminium folding stock!



STEYR ELITE Accessories

STEYR ELITE ACCESSORIES

Accessories	Material Number	Suggested Retail Price in €
5-round magazine .308 Win.	2614050602	81,
10-round magazine .308 Win.	2607050604	140,
HC-adapter black	2614050601	98,
Butt spacer	2614060007	30,
Soft butt plate	2614060038	42,
Harris-bipod with adapter	2901090501	252,
Cheek piece and butt plate STEYR ELITE complete	2614060690	206,
Conversion kit cheek piece	2614060691	94,
Conversion kit butt plate	2614060692	124,
Muzzlebrake on a new rifle		340,
Sling Swivel Millet	2600060022	24,
Bipod Steyr (ELITE 08)	2600090602	488,



STEYR HS .50 AND STEYR HS .460



The STEYR HS .50 is a long range, high precision rifle, with an effective range of up to 1,640 yards (1,500 m).

It was designed as a single shot bolt action rifle, and is available in the caliber .50 BMG. The STEYR HS .50 features a cold hammer forged fluted barrel, adjustable bipod, and a highly efficient muzzle brake, which reduces recoil substantially to increase shooting comfort. The top mounted Picatinny rail (Mil. Std. 1913 rail) allows quick and easy installation of various optics, or night vision devices.

The STEYR HS .50 is designed to field strip easily for transportation or maintenance purposes.

Now also available in the new caliber .460 Steyr.

Technical Data	STEYR HS .50	STEYR HS .460	
Caliber	.50 BMG	.460 Steyr	
Action	Bolt Action, single shot	Bolt Action, single shot	
Trigger	Single trigger, 2 stage, factory set, 4.00 lbs.	Single trigger, 2 stage, factory set, 4.00 lbs.	
Stock	Plain cheekpiece / buttplate with rugged bipod.	Plain cheekpiece / buttplate with rugged bipod.	
Magazine	None (single shot)	None (single shot)	
Safety	Triggersafety	Triggersafety	
Barrel Length	900 mm / 35,43" with hig	900 mm / 35,43" with high-effeciency muzzle brake	
Overall Length	1370 mm / 54"	1370 mm / 54""	
Weight	Appx. 12.400 g / 28.5 lbs.	Appx. 12.400 g / 28.5 lbs.	

STEYR HS .50 & HS .460

Caliber	Material Number	Suggested Retail Price in €
.50 BMG	61.070.1	5.570,
.460 STEYR	61.060.1	5.570,

Please note that purchasing the STEYR HS .50 is subjected to special regulations. For detailed informations please contact your Sales Manager



STEYR HS .50 M1



The STEYR HS .50 M1 is the evolution of the well known STEYR HS .50. The biggest difference is the 5 round magazine which makes the rifle even more powerful.

The STEYR HS .50 M1 features additionally to the STEYR HS .50:

- 5 round magazine
- Long Picatinnyrailsystem with Picatinnyrails on the side
- Adjustable cheekpiece
- Newly designed and fixable bipod
- Spine at the buttstock

Technical Data	STEYR HS .50 M1	
Caliber	.50 BMG	
Action	Bolt Action	
Trigger	Single trigger, 2 stage, factory set, 4.00 lbs.	
Stock	Adjustable cheekpiece / fixable bipod	
Magazine	5 rounds	
Safety	Triggersafety	
Barrel Length	900 mm / 35,43" with high-effeciency muzzle brake (610mm barrel HS.50 M1 Mountain)	
Overall Length	1500 mm	
Weight	Appx. 14,5 kg / 28.5 lbs.	



Caliber	Material Number	Suggested Retail Price in €
.50 BMG	61.055.1	7.470,
.50 BMG (610mm barrel)	61.050.1	7.470,



Accessories	Material Number	Suggested Retail Price in €
Magazine 5 rounds	6101050501	342,
Sound suppressor .50 BMG	6100090605	1.596,
Bipod HS.50 M1	6100090603	464,
Long Picatinnyrail system (requires 2x 3862086 screws)	6101010003	840,
Upgradekit adjustable monopod for buttstock (for HS .50)	6101020611	531,





SCOPE MOUNTS FOR ALL RIFLES WITH PICATINNY RAILS

Scope Mount	Material Number	Suggested Retail Price in €
ARMS scope reduction rings from 30 mm to 1"/26 mm	1-HW-ARMS37	66,
ARMS ZF Montage Low 30mm	1-HW-ARMS22LOW	263,
ARMS scope mount medium 30 mm	1-HW-ARMS22	263,
ARMS scope mount high 30 mm	1-HW-ARMS23	263,
Mounting and zeroing	DL-0008	200,
ERA Mount 1" 20 M.O.A.	6100070501	370,
Monobloc Mount HG 23mm 30 mm 20 M.O.A.	1-HW-57620-3010	370,
Monobloc Mount HG 17mm 30 mm 0 M.O.A.	1-HW-57600-3000	370,
Monobloc Mount HG 23mm 30 mm 0 M.O.A.	1-HW-57600-3010	370,
Monobloc Mount HG 23mm 34 mm 0 M.O.A.	1-HW-57600-3410	370,
Monobloc Mount HG 17mm 34 mm 0 M.O.A.	1-HW-57600-3400	370,
Monobloc Mount HG 17mm 34 mm 20 M.O.A. 3 Fixing screws	1-HW-57620-3403	370,
Monobloc Mount HG 17mm 34 mm 20 M.O.A.	1-HW-57620-3400	370,
Monobloc Mount HG 23mm 34 mm 20 M.O.A.	1-HW-57620-3410	370,



STEYR AUG Z



Technical Data	STEYR AUG Z	
Caliber	.223 Rem.	
Trigger	Synthetic (except for springs, steel bearing pins and catch holding open) Fires semi-automatic.	
Magazine	Detachable, synthetic (transparent) staggered box type. 9 rounds; 30 rounds and 42 rounds as an extra.	
Safety	Lateral push-through type locks trigger	
Barrel Length	508 mm (20") with gas regulator. Cold hammer forged. Chrome-lined borincluding chamber	
Overall Length	790 mm / 31"	
Weight	3.6 kg / 7.9 lbs.	
Housing Group	Mil. Std. 1913 rail standard	
Stock	Synthetic black.	

The STEYR AUG Z is the civilian Version of the world-famous STEYR AUG. It is a gas-operated semi automatic rifle with a picatinny rail (Mil. Std. 1913 rail) which allows quick attachment of various optic devices.

The "Bull Pup" Design makes it a short handy rifle with high reliability and accuracy.

The STEYR AUG series is famous for its modular concept which permits field stripping into the main groups within a few seconds.

The cold hammer forged, chrome-lined barrel with a twist length 1" in 9" which guaranties high reliability.

STEYR AUG Z

Caliber	Material Number	Suggested Retail Price in €
.223 Rem. 508mm	14.097.1	1.900,
.223 Rem. Left 508mm	14.100.1	2.100,
.223 Rem. Oliv 508mm	14.111.1	1.900,
.223 Rem. 550mm	14.098.1	1.900,
.223 Rem. oliv left 508mm	14.113.1	2.100,



STEYR AUG Z A3 VERSIONS

Now the new STEYR AUG Z A3 series is available in a 5,56x45 (.223 Rem.) and a 9mm Version with a lot of upgrade possibilities.

The STEYR AUG Z A3 versions feature a long picainntyrailsystem and a bolt release.

Technical Data	STEYR AUG Z A3	STEYR AUG Z A3 9mm	
Caliber	5.56x45 mm (.223 Rem.)	9x19	
Barrel length	550 mm (21,6")	420mm (16,5")	
Weight empty	3,8 kg	3,3 kg	
Overall length	830 mm / 32,7"	702 mm / 27,6"	
Magazine	Detachable, synthetic (transparent) staggered box type.9 rounds (Standard) 30 rounds and 42 rounds as an extra.	Detachable, metall magazine 10 rounds.	
Safety	Lateral push-through type locks trigger		
Housing group	Picatinnyrail (Mil. Std. 1913 rail).		



STEYR AUG Z A3

Caliber	Material Number	Suggested Retail Price in € incl. VAT
.223 Rem. 21,6" barrel	17.450.1	2.100,
9x19	17.455.1	2.100,
.223 Rem. Left 21,6" barrel	17.451.1	2.300,
.223 Rem. 16" barrel	17.516.1	2.100,
.223 Rem. 20" barrel	17.460.1	2.100,

Please note that purchasing the STEYR AUG Z is subjected to special regulations. For detailed informations please contact your Sales Manager



STEYR AUG Z A3 SE

For the highest demands, we introduced the STEYR AUG Z A3 SE (Special Edition) with the integrated 1,5x optical sight including nunmerous Picatinny rails on the scope. The rifle also has the muzzle brake as a standard.



STEYR AUG Z A3 SE

Caliber	Material Number	Suggested Retail Price in €
.223 Rem. 417mm barrel	17.250.1	2.880,
.223 Rem. 508mm barrel	17.255.1	2.880,
.223 Rem. 550mm barrel	17.260.1	2.880,





Original STEYR AUG 1,5x scope for AUG Z (not for A3 versions!) 1240020652



Mil. Std. 1913 rail (Picatinny rail) for AUG Z (available also for the STEYR AUG Z A3 SE)



Conversion kti olive for STEYR AUG Z (not for A3 versions!)



Railsystem with foldable grip



Magazine 10, 30, 42 rounds



-0



Original AUG Z A3 scope (1,5x) 1250020585

STEYR AUG Z A3 with optional muzzle brake and Railsystem with foldable grip



STEYR AUG Z ACCESSORIES

Accessories	Material Number	Suggested Retail Price in €
Magazine 9 rounds	1245050501	63,
Magazine 30 rounds	1200050502	35,
Magazine 42 rounds	1200050510	84,
Magazine 25 rounds 9x19	1213050503	126,
Magazine 10 rounds 9x19 (limited to 10 rnds.)	1213050444	126,
Original scope 1,5x for AUG Z	1240020652	765,
Adjusting Key for original scope	1200090090	11,
Picatinny Rail (Mil. Std. 1913 rail)	1240020004	133,
Picatinny Rail for STEYR AUG Z A3 SE	1252020144	133,
Brass Catcher	1-HW-09012	103,
Sling green	1200090503	42,
Sling black	1200090590	42,
Cleaning Kit	1200090560	35,
Barrel Group 407mm	1200010607	530,
Barrel Group 550mm	1200010606	530,
Conversion Kit left hand	1245040572E	306,
Cover for original optic	1200090489	13,
Conversion kit Olive for AUG Z	1245000600	441,
Muzzle brake AUG Z A3	1245010606	195,
Muzzle brake AUG Z A3 9mm	1245010607	195,
Railsystem with foldable grip	1245010605	321,
AUG Z A3 scope	1250020585	765,
Barrel group 508mm threaded	1245010409E	540,
Barrel group 550mm threaded	1245010620E	540,
Barrel group 417mm incl. muzzle brake	1245010631E	690,





STEYR PISTOLS

The STEYR PISTOLS are exactly what a handgun should be regarding performance, safety and reliability. Aiming at the future!

Their revolutionary design and safety features, including the unique lockable safety system in a self-loading pistol, place the STEYR PISTOLS light years ahead of their competitors.

STEYR ARMS Pistols are world-famous for its future-orientated design and technology as well as ultimate ergonomics and proverbial precision.

The innovative grip frame offers unmatched ergonomics for best pointing characteristics and is equipped with interchangeable backstraps and side plates to configure the grip to the individual shooters hand.

The real Picatinny rail on the lower front frame allows mounting a wide range of white lights and laser aiming devices.

Fast and precise target acquisition due to the innovative triangular/trapezoid sights (also other sights available) and the unique lockable safety system make this semi-automatic pistol what a handgun should be in modern times.

STEYR ARMS has long been known as the leader in the utilisation of advanced synthetics for firearms. Also the materials used in the ultra-rigid frame of this new pistol represent the state-of-the art in the world of handguns.

Not only ergonomics was in the foreground during the development process of the STEYR PISTOLS. Also safety was an important point same as it is on all STEYR ARMS products.

The STEYR PISTOLS are available with two resp. three safety conditions optional:

- Automatic Trigger- Drop- Firing Pin Safety Mechanism In this condition the pistol is safe until the moment the trigger is pulled.
- Integrated limited access lock with key The integrated locking function is activated by a key and prevents firing and disassembling of the pistol.
- Optional Manual Safety Can be activated manually, according to the user's needs. The safety catch can be quickly deactivated by the trigger finger. And the Best it's free of charge.

STEYR ARE products are unbeatable in quality and reliability. Due to their world-wide acclaim of producing the most accurate and durable executive self-defence and hunting firearms, it's no surprise that the pistol series meet these standards as well.



STEYR PISTOLS Safety



Safety Condition 1Automatic Trigger- Drop-Firing Pin Safety Mechanism.
In this condition the pistol is safe until the moment the trigger is pulled.



Safety Condition 2
Optional Manual Safety.
Can be activated manually, according to the user's needs.
The safety catch can be quickly deactivated by the trigger finger.



Integrated limited access lock with key.

The integrated locking function is

The integrated locking function is activated by a key and prevents firing and dis-assembling of the pistol.



NEW! STEYR PISTOL A2 MF SERIES

The newly designed STEYR PISTOL A2 MF is the newest member in the STEYR ARMS product family. It is available in 3 sizes – (L-Large; M-Medium and C-Compact) with 17rnd magazine, a real picatinny rail (MilStd. 1913) at the forend and a fully adjustable grip. The back strap as well as both sides of the grip are adjustable with different sized inlays to adjust it to the shooters hand. The grip also features a funnel for a quick mag azine change

The Pistol is delivered with 3 backstraps and side plates (S, M, L)



Technical Data	STEYR PISTOL L-A2 MF	STEYR PISTOL M-A2 MF	STEYR PISTOL C-A2 MF
Length x Height x Width	200x142x33 mm	187x142x33mm	177x142x33mm
Weight (with empty magazine)	785g	780g	766g
Barrel Length	115 mm	102 mm	92 mm
Caliber	9x19 (9x21)		
Magazine Capacity	17 rounds		
Grip Frame	Synthetic with interchangeable side plates and backstrap. Funnel for quick magazine change		
Trigger System	Reset action system		
Trigger Pull	4,0 mm (constant)		
Safety	Automatic Trigger- Drop- Firing Pin Safety, Integrated limited access lock with key		
	Optional Manual Safety		
Sights	Trapezoid/Triangular, Rectangular, Tritium or Match sights		





STEYR PISTOL L-A2 MF

STEYR PISTOLS L-A2 MF WITH TRAPEZOID SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.123.2H0	78.124.2H0	690,

STEYR PISTOLS L-A2 MF WITH RECTANGULAR SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.123.2H3	78.124.2H3	690,

STEYR PISTOLS L-A2 MF WITH TRITIUM SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.123.2H1	78.124.2H1	805,

STEYR PISTOLS L-A2 MF WITH MATCH SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.123.2H2	78.124.2H2	805,





STEYR PISTOL M-A2 MF

STEYR PISTOLS M-A2 MF WITH TRAPEZOID SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H0	78.224.2H0	690,

STEYR PISTOLS M-A2 MF WITH RECTANGULAR SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.221.2H3	78.222.2H3	690,

STEYR PISTOLS M-A2 MF WITH TRITIUM SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H1	78.224.2H1	805,

STEYR PISTOLS M-A2 MF WITH MATCH SIGHTS

Caliber	no manual safety	with manual safety	Suggested Retail Price in €
9x19	78.223.2H2	78.224.2H2	805,





STEYR PISTOL C-A2 MF

STEYR PISTOLS C-A2 MF WITH TRAPEZOID SIGHTS

Caliber	no manual safety	with manual safety	Distributor Price in €
9x19	78.323.2H0	78.324.2H0	690,

STEYR PISTOLS C-A2 MF WITH RECTANGULAR SIGHTS

Caliber	safety	with manual safety	Distributor Price in €
9x19	78.323.2H3	78.324.2H3	690,

STEYR PISTOLS C-A2 MF WITH TRITIUM SIGHTS

Caliber	no manual safety	with manual safety	Distributor Price in €
9x19	78.323.2H1	78.324.2H1	805,





STEYR PISTOL Accessoires

MAGAZINES

Magazines	Material Number	Suggested Retail Price in €
Magazine M357 .357 Sig. (12-round)	3903050502	56,
Magazine L/M/C40 .40 S&W (12-round)	3901050502	56,
Magazine L/M/C9 9x21 (14-round)	3902050503	56,
Magazine L/M/C9 9x19 (17-round)	3902050517	56,
Magazine L/M/C9 9x19 (10-round)	3902050501	56,
Magazine M357 .357 Sig. (10-round)	3903050501	56,
Magazine L/M/C40 .40 S&W (10-round)	3901050501	56,
Magazine S9 9x19 (10-round)	3902050511	56,
Magazine S40 .40S&W (10-round)	3901050511	56,
Magazine 9x19 (17-round) for A2 MF series	7802050517	58,

CONVERSION KITS A1 SERIES

A wide range of Conversion kits are available for the STEYR PISTOL Series to change from 9x19 to .40S&W and vice versa. The conversion kit contains a slide assembly (including all parts like barrel,...) and a magazine.

Model	Caliber	Material Number	Suggested Retail Price in €
L-A1	9x19	3900000606	391,
L-A1	.40 S&W	3900000607	391,
M-A1	9x19	3900000611	391,
M-A1	.40 S&W	3900000600	391,
C-A1	.40 S&W	3900000614	391,
S-A1	9x19	3900000604	391,
S-A1	.40 S&W	3900000603	391,





ACCESSORIES FOR STEYR PISTOLS

Accessories	Material Number	Suggested Retail Price in €
Cleaning Kit Pistol	4700090501	16,
Conventional sights with tritium inserts	3900040530	121,
Lamp/Laser Adapter Model M (old model)	1-HW-390201	52,
Adjustable match sights (M-A1 & S-A1)	3900040680	121,
Speedloader	3900090005	4,



Conventional Sights with tritium inserts



Cleaning Kit STEYR PISTOL M-Series



HOLSTERS

Holster for M/S and A1-series	Material Number	Distributor Price in €
Synthetic holster STEYR PISTOL M&S Series (old series)	3900090002	13,
Magazine pouches synthetic	3900090003	7,
Leather magazine Box with Clip	1-HW-62833	75,
Holster for A1 Series		
Leather holster STEYR PISTOL A1 series Clip	1-HW-62365	40,
Leather holster STEYR PISTOL A1 series Loop	1-HW-62365LOOP	40,
Tactical holster set	1-HW-01007	75,
Bladetech holster	1-HW-01051	78,



Synthetic holster PISTOL M&S Series



Magazine pouches



Left: with clip

Right: with loop

Holster STEYR PISTOL M-A1 & S-A1



STEYR

Holster Bladetech with tactical plate



Tactical Holster set for L-A1 and M-A1



Holster for A2 MF series	Material Number	Distributor Price in €
Leather holster G-Man STEYR PISTOL A2 MF series	1-HW-62366	42,
Leather holster Lightning STEYR PISTOL A2 MF series	1-HW-62367	40,
Cytac Holster right hand	1-HW-62476	30,
Cytac Holster left hand	1-HW-62478	30,
Cytac Belt Loop (for usage with holster 1-HW-62476)	1-HW-62477	6,
Military Holster Level 3 - King Cobra	1-HW-62474	46,



Holster G-Man (1-HW-62366)



Holster Lightning (1-HW-62367)



Holster King Cobra COP Level 3 (1-HW-62474)





left: Belt loop (1-HW-62477)

right: Cytac Holster (1-HW-624776





STEYR ZEPHYR II

Technical Data	STEYR Zephyr II
Trigger	Direct trigger
Stock	Walnut
Housing/Mount	11mm Prisma
Magazine	5-rounds
Barrel length	500 mm-
Overall length	1.000 mm -
Weight	Approx 2.400 g (5,3lbs)



The new small bore rifle follows up the excellent build quality of its "big sisters" and sets totally new standards in the segment of rifles for rimfire cartridges.

With its elegant and also modern stock design and the Steyr Arms known high quality it makes the STEYR Zephyr II a must have for every Steyr Arms enthusiast.

Available Calibers: .17HMR, .22 LR, .22 WMR

The standard thread is $\frac{1}{2}$ -28 UNEF. Other threads upon request.

Caliber	Material Number	Suggested Retail Price in €	Thread
.22 lr	70.053.1A0	945,	1/2-28 UNEF
.22WMR	70.063.1A0	945,	1/2-28 UNEF
.17 HMR	70.073.1A0	945,	1/2-28 UNEF
NEW! .22 lr	70.051.1A1	1.040,	adj. open sights
NEW! .22WMR	70.061.1A1	1.040,	adj. open sights
NEW! .17 HMR	70.071.1A1	1.040,	adj. open sights
.22 lr	70.052.1A0	945,	1/2-20 UNF

Caliber	Material Number	Suggested Retail Price in €	Thread
.22 lr	70.053.1A0	945,	1/2-28 UNEF
.22WMR	70.063.1A0	945,	1/2-28 UNEF
.17 HMR	70.073.1A0	945,	1/2-28 UNEF
NEW! .22 lr	70.051.1A1	1.040,	adj. open sights
NEW! .22WMR	70.061.1A1	1.040,	adj. open sights
NEW! .17 HMR	70.071.1A1	1.040,	adj. open sights



.22 lr	70.052.1A0	945,	1/2-20 UNF
.22WMR	70.062.1A0	945,	1/2-20 UNF
.17HMR	70.072.1A0	945,	1/2-20 UNF

STEYR ZEPHYR II Accessories

Acessories	Material Number	Suggested Retail Price in €
Magazine ZEPHYR II cal22lr (5 Schuss)	1-HW-01301	30,
Magazine ZEPHYR II cal22WMR & .17HMR (5 Schuss)	1-HW-01300	30,
Mount ZEPHYR II 1" (25,4mm)	1-HW-01214	83,
Mount ZEPHYR II 30mm	1-HW-01215	83,

SLINGS FOR STEYR RIFLES



Sling CL



Sling SC



Sling PH



Sling UL

Slings (Distributor Price=no discount)





Sling	Material Number	Distributor Price in €
Sling CL	1-HW-3101-2	35,
Sling SC	1-HW-3101-1	32,
Sling PH	1-HW-3101-3	30,
Siling UL	1-HW-3101-4	30,

STEYR KNIVES

SCOUT PROFESSIONAL





Hunting knife TRADITION (deer horn)



Hunting knife OVIS (ram's horn)



Pocket knife ZERBRA (6cm blade length)



Pocket Knife BLACK (6cm blade length)



Knife TACTICAL RESCUE



Knife EARL



Knife ELEGANCE



Knife SCOUT SURVIVAL



Knives	Material Number	Distributor Price in €
SCOUT PROFESSIONAL	1-HW-439CB	83,
SCOUT COMFORT	1-HW-481RA	55,
Hunting knife TRADITION	1-HW-01204	49,
Hunting knife OVIS	1-HW-01203	49,
NEW! Hunting knife HAZELNUT	1-HW-01219	49,
Pocket knife ZEBRA	1-HW-BF434ZW	18,
Pocket knife BLACK	1-HW-BF434	18,
Knife Earl	1-HW-05351	59,
Knife TACTICAL RESCUE	1-HW-05357	59,
Knife SCOUT SURVIVAL	1-HW-1126155	40,
NEW! Knife PREDATOR	1-HW-FX4460D	60,



GENERAL TERMS OF DELIVERY AND PAYMENT

General

Our supplies and services shall be governed exclusively by the following terms. Buyer's purchasing conditions or modifications of the present terms of delivery, as well as any other agreements shall not be binding on us unless we have accepted them in writing.

Offers

Our offers are non binding; together with relevant enclosures, samples and descriptions they are our property and may not be reproduced or made accessible to third parties without our consent. We are free to demand their return at any time, and such return shall be effected without our request if the buyer places his order elsewhere.

Conclusion of contract

The Contract is deemed to be concluded when upon receiving an order we have dispatched a written acknowledgement of order. Modifications and additions to the Contract as well as verbal promises made by our representatives are not binding unless confirmed by us in writing.

Should import or export licences, foreign exchange permits or similar permits be required for the fulfilment of the Contract, the customer shall undertake all reasonable efforts to obtain the requisite licences or permits in due course.

Prices and payments

All prices are quoted in Euro, excluding value added tax ex-works. Loading, transport costs, transport insurance and expenditure for environmental protection shall be invoiced separately. We reserve to raise our prices adequately if after the conclusion of the contract cost increases occur, especially when caused by price increases at our suppliers' end or by fluctuations of the exchange rate.

Payment is due promptly upon invoicing without any deduction. Cheques will be accepted on account of performance. We reserve to perform deliveries against advance payment or C.O.D. only.

The customer shall not be entitled to withhold payments owing to warranty claims or other counterclaims not recognised by us. In case of default of payment we shall be entitled to interest at 5 % above the three-months EURIBOR, as well as to a dunning charge of 10.- Euro per reminder and the refund of lawyer's fees in the context of dunning notices.

Minimum Order Values

For orders received below an invoice value of \in 40, excl. VAT a minimum order sum of \in 40, is charged.

Return of Goods

For the handling of returns a handling fee of \leq 40, per returned item is charged. Excluded from this are returns in the context of warranty claims.

Reservation of ownership

Until full payment has been made, including any subsidiary claims, the goods supplied shall remain our property. The right of property shall pass to the customer only after the latter has fulfilled all his liabilities with us. In the event of a resale our reservation of ownership shall extend to the customer's claim arising from such sale, which shall be transferred to us. If the client collects the claim himself, this is done on a purely fiduciary basis, and the claim so collected shall be transferred to us up to the amount of our demands.

We shall be entitled, at any time, to inform the buyer (who upon our request shall be named to us by the customer) of the assignment of the claim and to request him to make payment to us.

The customer may not pledge the reserved goods or transfer them by way of security. The customer shall be obliged to inform third parties in the event of the reserved goods being pledged or seized, to notify us without delay and to support us in the defence of our property rights. The customer shall irrevocably authorize us to procure the reserved goods at any time even without legal aid in case the customer commits a violation of the Contract.

Delivery periods

The stipulated delivery times are decisive for determining the date of delivery ex-works. The delivery time shall be reasonably prolonged if the customer does not honour his obligations or if unforeseen or extraordinary events or events arising through no fault of ours occur in our works or the works of one of our sub-suppliers, such as war, mobilization, natural disasters or strikes.

A delivery date shall not be deemed fixed unless it has been explicitly designated so in writing. If we defer delivery for more than eight weeks, the customer may rescind the contract after a reasonable extension fixed in writing, excluding any further claims.

Passage of risk

The risk shall pass to the customer upon delivery of the goods ex-works to the customer or the carrier, its agent or other persons named to us. Should delivery be deferred or become impossible without any fault of ours, the passage of risk shall coincide with the notice of readiness for dispatch.

Cancellations

We shall not accept the cancellation of firm orders which have been produced specially on account of their design or quantity, unless there a legal grounds for a rescission.

For cancellations concerning standard goods we charge a fee of 20 % of the net invoice value. If any changes occur in the person of the customer, or if following the conclusion of the contract we learn of facts which in our view impair the creditworthiness of the customer, and if the customer refuses to make advance payment or to provide security, we shall be entitled to rescind the contract.

Warranty

- .1. Under warranty as provided by law we declare that our products are free from defects as corresponds to the state-of-the-art, that all services rendered by us are free from deficiencies in title and fully comply with the contractual characteristics.
- .2. The warranty period shall be two years from the delivery.
- .3. If within such period the customer detects any defect, he shall report it to us in writing without delay but no later than one month from its recognisability, accompanied by a detailed description of the fault and appropriate delivery documents. Failure to report within the above period shall entail the loss of any warranty claims.

In the event of no complaint being lodged or a complaint not being lodged in due time, the goods shall be deemed to be accepted. In such event, no claims for warranty or damages or pleads of error connected with defects can be granted.

This restriction shall not apply to consumer contracts.

- .4. Defective goods shall be returned to us.
- .5. Defects shall be remedied in the following order:
 - 1. Repair
 - 2. Replacement of the defective part
 - 3. Replacement of the defective goods
 - 4. Price reduction

We reserve the right to decline the repair or replacement of goods, offering a price reduction instead or – in the case of defects not classified as minor ones as per § 932 par. 4 ABGB (Civil Code) – cancellation of sale, if the repair or replacement would be impossible or would mean a disproportionate expenditure for us.

- .6. The repair of a defect shall not have the effect of prolonging the warranty period.
- .7. No responsibility will be accepted for defects known to the customer or patent defects. Nor will any warranty be granted for defects caused by wear and tear or abrasion due to operation and normal use, by inappropriate use or operating errors or by the fact that serial numbers have been removed. If the customer continues to use the goods despite his knowledge of a cause for cancellation of sale, this shall constitute a waiver of warranty ex post facto which shall exempt us from any obligations in that respect.
- .8. Unless otherwise provided for in the present clauses, any further claims of the customer under any title whatsoever shall be excluded. We therefore shall not answer for damages not arising from the object of the delivery itself; this shall apply particularly to loss of profits or other damage to customer's property. This exclusion shall also extend to claims for in contrahendo fault, violation of accessory obligations and producer's liability. Likewise, we shall not accept liability for incorrect information in brochures, catalogues and other written material. This release from liability shall not apply if damage has been caused intentionally.
 In case we have negligently violated a substantial contractual duty, our obligation to render
 - In case we have negligently violated a substantial contractual duty, our obligation to render compensation for damage to property or persons shall be limited to the scope of our product liability insurance. In any case, the obligation to render compensation shall be restricted to damages foreseeable at the time of contract conclusion. In the case of consumer contracts, § 1298 ABGB shall apply regarding the burden of proof. Moreover, the restriction of liability shall not be applicable to personal injury in the case of consumer contracts.
- .9. The above exclusions and limitations of liability shall be ineffective for claims covered by product liability law or in instances of initial incapacity or impossibility to perform for which we are

answerable. Any exclusion or limitation of our liability shall extend to the personal liability of our employees, workers, collaborators, representatives and persons employed in performing an obligation.

The Product Liability Act (PHG) shall apply with the limitation that in our relationship with the customer we are exempt from reimbursement according to the PHG. The customer shall be obliged to pass this exclusion on to his clients, to avoid possible recourse. Liability for slight negligence shall be excluded.

.10. Consumers shall be covered without restrictions by the legal warranty regulations of the ABGB (Civil Code) in conjunction with the provisions of the Consumer Protection Act.

Unlawfulness of assignment and set-off

The customer shall not be entitled to assign to third parties his claims arising from this contract. Furthermore, he shall not be entitled to set off our demands against any counterclaims. By contrast, any clauses contained in the General Business and Purchase Terms of our customer and relating to the unlawfulness of assignment and all other contract clauses concerning the assignment of debts shall be null and void.

General clauses

Our contracts shall be governed by Austrian law. The exclusive place of jurisdiction shall be the court competent for our works in STEYR and having jurisdiction over the subject matter .

The order will be handled with the aid of automatic data processing. The customer shall grant his express consent to the processing of the data obtained by us within the framework of our contractual relations and required for the handling of the order.

In the event that any provision or provisions of these General Business Terms is or becomes ineffective, or if the present contract text fails to provide regulation in a particular matter, the parties to the contract shall replace or complete the ineffective or incomplete provision or provisions by some other adequate regulation, striving to come as close to the economic purpose of the intended regulation as possible. The validity of the other provisions shall remain unaffected.